

## Table of BCA 2022 references by BCA 2019 reference

Lexicon









## Volume One

NCC 2019 Reference	NCC 2022 Reference
Preface	
Copyright and Licence notice	Copyright and Licence Notice
Introduction to the National Construction Code (NCC)	Introduction to the National Construction Code (NCC)
Introduction to NCC Volume One	Introduction to NCC Volume One
	List of NCC Specifications
	History of adoption of NCC Volume One
Section A Governing requirements	
Part A1 Interpreting the NCC	Part A1 Interpreting the NCC
	A1G1 Scope of NCC Volume One
	A1G2 Scope of NCC Volume Two
	A1G3 Scope of NCC Volume Three
A1.0 Interpretation	A1G4 Interpretation
Part A2 Compliance with the NCC	Part A2 Compliance with the NCC
A2.0 Compliance	A2G1 Compliance
<b>A2.1</b> Compliance with the Performance	
Requirements	
A2.2 Performance Solution	A2G2 Performance Solution
A2.3 Deemed-to-Satisfy Solution	A2G3 Deemed-to-Satisfy Solution
A2.4 A combination of solutions	A2G4 A combination of solutions
<b>Part A3</b> Application of the NCC in States and Territories	<b>Part A3</b> Application of the NCC in States and Territories
A3.0 State and Territory compliance	A3G1 State and Territory compliance
Part A4 NCC referenced documents	Part A4 Referenced documents
A4.0 Referenced documents	A4G1 Referenced documents
<b>A4.1</b> Differences between referenced documents	A4G2 Differences between referenced documents
and the NCC	and the NCC
A4.2 Adoption of referenced documents	A4G3 Adoption of referenced documents
Part A5 Documentation of design and	Part A5 Documentation of design and construction
construction	
A5.0 Suitability	A5G1 Suitability
A5.1 Evidence of suitability-Volumes One, Two	<b>A5G2</b> Evidence of suitability-Volumes One, Two and
and Three	Three
<b>A5.2</b> Evidence of suitability-Volumes One and Two	<b>A5G3</b> Evidence of suitability-Volumes One and Two (BCA)
A5.3 Evidence of suitability-Volume Three	A5G4 Evidence of suitability-Volume Three (PCA)
A5.4 Fire-resistance of building elements	A5G5 Fire-resistance of building elements
A5.5 Fire hazard properties	A5G6 Fire hazard properties
<b>A5.6</b> Resistance to the incipient spread of fire	A5G7 Resistance to the incipient spread of fire
A5.7 Labelling of Aluminium Composite Panels	A5G8 Labelling of Aluminium Composite Panels
	A5G9 NatHERS
Part A6 Building classification	Part A6 Building classification
A6.0 Determining a building classification	A6G1 Determining a building classification
A6.1 Class 1 buildings	A6G2 Class 1 buildings
A6.2 Class 2 buildings	A6G3 Class 2 buildings

A6.3 Class 3 buildings	A6G4 Class 3 buildings
A6.4 Class 4 buildings	A6G5 Class 4 buildings
A6.5 Class 5 buildings	A6G6 Class 5 buildings
A6.6 Class 6 buildings	A6G7 Class 6 buildings
A6.7 Class 7 buildings	A6G8 Class 7 buildings
A6.8 Class 8 buildings	A6G9 Class 8 buildings
A6.9 Class 9 buildings	A6G10 Class 9 buildings
A6.10 Class 10 buildings and structures	A6G11 Class 10 buildings and structures
A6.11 Multiple classifications	A6G12 Multiple classifications
Part A7 United buildings	Part A7 United buildings
A7.0 United buildings	A7G1 United buildings
A7.1 Alterations in a united building	A7G2 Alterations in a united building
	A702 Alterations in a united building
Section B Structure	
Part B1 Structural provisions	Part B1 Structural provisions
BP1.1 Structural reliability	B1P1 Structural reliability
BP1.2 Structural resistance	B1P2 Structural resistance
<b>BP1.3</b> Glass installations at risk of human impact	<b>B1P3</b> Glass installations at risk of human impact
BP1.4 Buildings in flood areas	<b>B1P4</b> Buildings in flood areas
BV1 Structural reliability	B1V1 Structural reliability
BV2 Structural robustness	B1V2 Structural robustness
<b>B1.0</b> Deemed-to-Satisfy Provisions	<b>B1D1</b> Deemed-to-Satisfy Provisions
<b>B1.1</b> Resistance to actions	B1D2 Resistance to actions
<b>B1.2</b> Determination of individual actions	B1D3 Determination of individual actions
<b>B1.4</b> Determination of structural resistance of	<b>B1D4</b> Determination of structural resistance of
materials and forms of construction	materials and forms of construction
<b>B1.5</b> Structural software	B1D5 Structural software
<b>B1.6</b> Construction of buildings in flood hazard	<b>B1D6</b> Construction of buildings in flood hazard
areas	areas
Specification B1.2 Design of buildings in cyclonic	<b>Specification 4</b> Design of buildings in cyclonic areas
areas	
1 Scope	S4C1 Scope
2 Roof Cladding	S4C2 Roof cladding
Section C Fire resistance	
Section C Fire resistance	Part C1 Fire resistance
CP1 Structural stability during a fire	C1P1 Structural stability during a fire
CP2 Spread of fire	C1P2 Spread of fire
CP3 Spread of fire and smoke in health and	C1P3 Spread of fire and smoke in health and
residential care buildings	residential care buildings
CP4 Safe conditions for evacuation	C1P4 Safe conditions for evacuation
CP5 Behaviour of concrete external walls in a fire	C1P5 Behaviour of concrete external walls in a fire
CP6 Fire protection of service equipment	C1P6 Fire protection of service equipment
CP7 Fire protection of emergency equipment	C1P7 Fire protection of emergency equipment
CP8 Fire protection of openings and penetrations	C1P8 Fire protection of openings and penetrations
CP9 Fire brigade access	C1P9 Fire brigade access
<b>CV1</b> Fire spread between buildings on adjoining	C1V1 Fire spread between buildings on adjoining
allotments	allotments
<b>CV2</b> Fire spread between buildings on the same	C1V2 Fire spread between buildings on the same
allotment	allotment
CV3 Fire spread via external walls	C1V3 Fire spread via external walls

C1V4 Fire Safety Verification Method
Part C2 Fire resistance and stability
C2D1 Deemed-to-Satisfy Provisions
C2D2 Type of construction required
C2D3 Calculation of rise of storeys
C2D4 Buildings of multiple classification
C2D5 Mixed types of construction
C2D6 Two storey Class 2, 3 or 9c buildings
C2D7 Class 4 parts of buildings
C2D8 Open spectator stands and indoor sports
stadiums
C2D9 Lightweight construction
C2D10 Non-combustible building elements
C2D11 Fire hazard properties
C2D12 Performance of external walls in fire
C2D13 Fire-protected timber: Concessions
C2D14 Ancillary elements
C2D15 Fixing of bonded laminated cladding panels
Part C3 Compartmentation and separation
C3D1 Deemed-to-Satisfy Provisions
C3D2 Application of Part
C3D3 General floor area and volume limitations
C3D4 Large isolated buildings
C3D5 Requirements for open spaces and vehicular
access
C3D6 Class 9 buildings
C3D7 Vertical separation of openings in external
walls
C3D8 Separation by fire walls
<b>C3D9</b> Separation of classifications in the same
storey
C3D10 Separation of classifications in different
storeys
C3D11 Separation of lift shafts
C3D12 Stairways and lifts in one shaft
C3D13 Separation of equipment
C3D14 Electricity supply system
C3D15 Public corridors in Class 2 and 3 buildings
Part C4 Protection of openings
C4D1 Deemed-to-Satisfy Provisions
C4D2 Application of Part
C4D3 Protection of openings in external walls
C4D4 Separation of external walls and associated
openings in different fire compartments
C4D5 Acceptable methods of protection
C4D6 Doorways in fire walls
C4D7 Sliding fire doors
C4D8 Protection of doorways in horizontal exits
C4D9 Openings in fire-isolated exits

<b>C3.9</b> Service penetrations in fire-isolated exits	<b>C4D10</b> Service penetrations in fire-isolated exits
C3.10 Openings in fire-isolated lift shafts	C4D11 Openings in fire-isolated lift shafts
C3.11 Bounding construction: Class 2 and 3	C4D12 Bounding construction: Class 2 and 3
buildings and Class 4 parts	buildings and Class 4 parts
<b>C3.12</b> Openings in floors and ceilings for services	C4D13 Openings in floors and ceilings for services
C3.13 Openings in shafts	C4D14 Openings in shafts
C3.15 Openings for service installations	C4D15 Openings for service installations
C3.16 Construction joints	C4D16 Construction joints
C3.17 Columns protected with lightweight	C4D17 Columns protected with lightweight
construction to achieve an FRL	construction to achieve an FRL
Specification C1.1 Fire-resisting construction	Specification 5 Fire-resisting construction
1 Scope	S5C1 Scope
2 General requirements	S5C2 Exposure to fire-source features
·	<b>S5C3</b> Fire protection for a support of another part
	S5C4 Lintels
	<b>S5C5</b> Method of attachment not to reduce the fire-
	resistance of building elements
	S5C6 General concessions
	S5C7 Mezzanine floors: Concession
	S5C8 Enclosure of shafts
	S5C9 Carparks in Class 2 and 3 buildings
	S5C10 Residential care building: Concession
<b>3</b> Type A Fire-Resisting Construction	<b>S5C11</b> Type A fire-resisting construction – fire-
	resistance of building elements
	S5C12 Type A fire-resisting construction –
	concession for floors
	S5C13 Type A fire-resisting construction – floor
	loading of Class 5 and 9b buildings: Concession
	<b>S5C14</b> Type A fire-resisting construction – roof
	superimposed on concrete slab: Concession
	<b>S5C15</b> Type A fire-resisting construction – roof:
	Concession
	<b>S5C16</b> Type A fire-resisting construction – roof
	lights
	<b>S5C17</b> Type A fire-resisting construction – internal
	columns and walls: Concession
	<b>S5C18</b> Type A fire-resisting construction – open
	spectator stands and indoor sports stadiums:
	Concession
	<b>S5C19</b> Type A fire-resisting construction – carparks
	<b>S5C20</b> Type A fire-resisting construction – Class 2
	and 3 buildings: Concession
<b>4</b> Type B Fire-Resisting Construction	<b>S5C21</b> Type B fire-resisting construction – fire-
	resistance of building elements
	<b>S5C22</b> Type B fire-resisting construction – carparks
	<b>S5C23</b> Type B fire-resisting construction – Class 2
	and 3 buildings: Concession
<b>5</b> Type C Fire-Resisting Construction	S5C24 Type C fire-resisting construction – fire-
	resistance of building elements
	<b>S5C25</b> Type C fire-resisting construction – carparks

Specification C1.8 Structural tests for lightweight	Specification 6 Structural tests for lightweight
construction	construction
1 Scope	S6C1 Scope
2 Application	S6C2 Application
3 Tests	S6C3 Walls of certain Class 9b buildings
	<b>S6C4</b> Walls of shafts and fire-isolated exits
	generally
	<b>S6C5</b> Additional requirements for lift shafts
	S6C6 Walls generally
4 Test specimens	<b>S6C7</b> General requirements for testing
	S6C8 Testing in-situ
	S6C9 Testing of specimens
<b>5</b> Test methods	S6C10 Test methods
<b>6</b> Criteria for compliance	S6C11 Criteria for compliance
Specification C1.10 Fire hazard properties	<b>Specification 7</b> Fire hazard properties
1 Scope	S7C1 Scope
2 Application	S7C2 Application
3 Floor linings and floor coverings	<b>S7C3</b> Floor linings and floor coverings
4 Wall and ceiling linings	S7C4 Wall and ceiling linings
5 Air-handling ductwork	<b>S7C5</b> Air-handling ductwork
6 Lift cars	S7C6 Lift cars
<b>7</b> Other materials	<b>S7C7</b> Other materials
<b>Specification C1.11</b> Performance of external walls	<b>Specification 8</b> Performance of external walls in fire
in fire	
1 Scope	S8C1 Scope
2 Application	S8C2 Application
<b>3</b> General requirements for external wall panels	<b>S8C3</b> General requirements for external wall panels
4 Additional requirements for vertically spanning	<b>S8C4</b> Additional requirements for vertically
external wall panels adjacent to columns	spanning external wall panels adjacent to columns
Specification C1.13 Cavity barriers for fire-	<b>Specification 9</b> Cavity barriers for fire-protected
protected timber	timber
1 Scope	S9C1 Scope
2 Requirements	S9C2 Requirements
Specification C1.13a Fire-protected timber	Specification 10 Fire-protected timber
1 Scope	S10C1 Scope
2 Requirements	<b>\$10C2</b> General requirements
	S10C3 Massive timber
<b>3</b> Determination of time the timber interface	S10C4 Form of test
temperature exceeds 300°C for timber at least	<b>S10C5</b> Smaller specimen permitted
75mm thick	S10C6 Acceptance criteria
Specification C2.5 Smoke-proof walls in health-	<b>Specification 11</b> Smoke-proof walls in health-care
care and residential care buildings	and residential care buildings
1 Scope	S11C1 Scope
2 Class 9a health-care buildings	S11C2 Class 9a health-care buildings
3 Class 9c buildings	S11C3 Class 9c buildings
4 Doorways in smoke-proof walls	<b>S11C4</b> Doorways in smoke-proof walls
<b>Specification C3.4</b> Fire doors, smoke doors, fire	<b>Specification 12</b> Fire doors, smoke doors, fire
windows and shutters	windows and shutters
1 Scope	S12C1 Scope
2 Fire Doors	S12C2 Fire doors

<b>3</b> Smoke Doors	\$12C3 General requirements for smoke doors
	<b>S12C4</b> Construction Deemed-to-Satisfy for smoke doors
4 Fire Shutters	S12C5 Fire shutters
5 Fire Windows	S12C6 Fire windows
<b>Specification C3.15</b> Penetration of walls, floors	<b>Specification 13</b> Penetration of walls, floors and
and ceilings by services	ceilings by services
1 Scope	S13C1 Scope
2 Application	S13C2 Application
3 Metal pipe systems	S13C3 Metal pipe systems
4 Pipes penetrating sanitary compartments	<b>\$13C4</b> Pipes penetrating sanitary compartments
5 Wires and cables	\$13C5 Wires and cables
6 Electrical switches and outlets	<b>\$13C6</b> Electrical switches and outlets
7 Fire-stopping	S13C7 Fire-stopping
Section D Access and egress	
Section D Access and egress	Part D1 Access and egress
<b>DP1</b> Access for people with a disability	<b>D1P1</b> Access for people with a disability
<b>DP2</b> Safe movement to and within a building	<b>D1P2</b> Safe movement to and within a building
<b>DP3</b> Fall prevention barriers	<b>D1P3</b> Fall prevention barriers
<b>DP4</b> Exits	D1P4 Exits
<b>DP5</b> Fire-isolated exits	<b>D1P5</b> Fire-isolated exits
<b>DP6</b> Paths to travel to exits	<b>D1P6</b> Paths of travel to exits
<b>DP7</b> Evacuation lifts	<b>D1P7</b> Evacuation lifts
<b>DP8</b> Carparking for people with a disability	D1P8 Carparking for people with a disability
<b>DP9</b> Communication systems for people with	<b>D1P9</b> Communication systems for people with
hearing impairment	hearing impairment
<b>DV1</b> Wire barriers	D1V1 Wire barriers
DV2 Access to and within a building	D1V2 Access to and within a building
<b>DV3</b> Ramp gradient, crossfall, surface profile and	<b>D1V3</b> Ramp gradient, crossfall, surface profile and
slip resistance for ramps used by wheelchairs	slip resistance for ramps used by wheelchairs
<b>DV4</b> Fire Safety Verification Method	<b>D1V4</b> Fire Safety Verification Method
Part D1 Provision for escape	Part D2 Provision for escape
<b>D1.0</b> Deemed-to-Satisfy Provisions	<b>D2D1</b> Deemed-to-Satisfy Provisions
<b>D1.1</b> Application of Part	D2D2 Application of Part
<b>D1.2</b> Number of exits required	D2D3 Number of exits required
<b>D1.3</b> When fire-isolated stairways and ramps are	<b>D2D4</b> When fire-isolated stairways and ramps and
required	required
<b>D1.4</b> Exit travel distances	D2D5 Exit travel distances
<b>D1.5</b> Distance between alternative exits	<b>D2D6</b> Distance between alternative exits
<b>D1.6</b> Dimensions of exits and paths of travel to	<b>D2D7</b> Height of exits, paths of travel to exits and
exits	doorways
	<b>D2D8</b> Width of exits and paths of travel exits
	<b>D2D9</b> Width of doorways in exits or paths of travel
	to exits
	<b>D2D10</b> Exit width not to diminish in direction of
	travel
	<b>D2D11</b> Determination and measurement of exits
	and paths of travel to exits
<b>D1.7</b> Travel via fire-isolated exits	D2D12 Travel via fire-isolated exits
====	Travel via in a located exito

<b>D1.8</b> External stairways or ramps in lieu of fire-	<b>D2D13</b> External stairways or ramps in lieu of fire-
isolated exits	isolated exits
<b>D1.9</b> Travel by non-fire-isolated stairways or	<b>D2D14</b> Travel by non-fire isolated stairways or
ramps	ramps
<b>D1.10</b> Discharge from exits	D2D15 Discharge from exits
<b>D1.11</b> Horizontal exits	D2D16 Horizontal exits
D1.12 Non-required stairways, ramps or	<b>D2D17</b> Non-required stairways, ramps or escalators
escalators	
<b>D1.13</b> Number of persons accommodated	<b>D2D18</b> Number of persons accommodated
<b>D1.14</b> Measurement of distances	D2D19 Measurement of distances
<b>D1.15</b> Method of measurement	D2D20 Method of measurement
<b>D1.16</b> Plant rooms, lift machine rooms and	<b>D2D21</b> Plant rooms, lift machine rooms and
electricity network substations: concession	electricity network substations: Concession
<b>D1.17</b> Access to lift pits	D2D22 Access to lift pits
<b>D1.18</b> Egress from early childhood centres	D2D23 Egress from primary schools
Part D2 Construction of exits	Part D3 Construction of exits
<b>D2.0</b> Deemed-to-Satisfy Provisions	<b>D3D1</b> Deemed-to-Satisfy Provisions
<b>D2.1</b> Application of Part	D3D2 Application of Path
D2.2 Fire-isolated stairways and ramps	D3D3 Fire-isolated stairways and ramps
D2.3 Non-fire-isolated stairways and ramps	D3D4 Non-fire-isolated stairways and ramps
<b>D2.4</b> Separation of rising and descending stair	D3D5 Separation of rising and descending stair
flights	flights
D2.5 Open access ramps and balconies	D3D6 Open access ramps and balconies
D2.6 Smoke lobbies	D3D7 Smoke lobbies
<b>D2.7</b> Installations in exits and paths of travel	D3D8 Installations in exits and paths of travel
<b>D2.8</b> Enclosure of space under stairs and ramps	<b>D3D9</b> Enclosure of space under stairs and ramps
D2.9 Width of required stairways and ramps	<b>D3D10</b> Width of required stairways and ramps
D2.10 Pedestrian ramps	<b>D3D11</b> Pedestrian ramps
<b>D2.11</b> Fire-isolated passageways	D3D12 Fire-isolated passageways
D2.12 Roof as open space	D3D13 Roof as open space
D2.13 Goings and risers	D3D14 Goings and risers
D2.14 Landings	D3D15 Landings
D2.15 Thresholds	D3D16 Thresholds
D2.16 Barriers to prevent falls	D3D17 Barriers to prevent falls
	D3D21 Wire barriers
Table D2.16a Barrier construction	D3D18 Height of barriers
	D3D19 Openings in barriers
	D3D20 Barrier climbability
D2.17 Handrails	D3D22 Handrails
D2.18 Fixed platforms, walkways, stairways and	D3D23 Fixed platforms, walkways, stairways and
ladders	ladders
D2.19 Doorways and doors	D3D24 Doorways and doors
D2.20 Swinging doors	D3D25 Swinging doors
D2.21 Operation of latch	D3D26 Operation of latch
<b>D2.22</b> Re-entry from fire-isolated exits	D3D27 Re-entry from fire-isolated exits
D2.23 Signs on doors	D3D28 Signs on doors
<b>D2.24</b> Protection of openable windows	D3D29 Protection of openable windows
<b>D2.25</b> Timber stairways: Concession	<b>D3D30</b> Timber stairways: Concession
Part D3 Access for people with a disability	Part D4 Access for people with a disability
D3.0 Deemed-to-Satisfy Provisions	<b>D4D1</b> Deemed-to-Satisfy Provisions
	Page <b>7</b> of <b>44</b>

<b>D3.1</b> General building access requirements	<b>D4D2</b> General building access requirements
D3.2 Access to buildings	<b>D4D3</b> Access to buildings
D3.3 Parts of buildings to be accessible	<b>D4D4</b> Parts of buildings to be accessible
D3.4 Exemptions	D4D5 Exemptions
D3.5 Accessible carparking	<b>D4D6</b> Accessible carparking
D3.6 Signage	D4D7 Signage
D3.7 Hearing augmentation	D4D8 Hearing augmentation
D3.8 Tactile indicators	<b>D4D9</b> Tactile indicators
D3.9 Wheelchair seating spaces in Class 9b	<b>D4D10</b> Wheelchair seating spaces in Class 9b
assembly buildings	assembly buildings
D3.10 Swimming pools	<b>D4D11</b> Swimming pools
<b>D3.11</b> Ramps	D4D12 Ramps
D3.12 Glazing on an accessway	D4D13 Glazing on an accessway
Specification D1.12 Non-required stairways,	<b>Specification 14</b> Non-required stairways, ramps
ramps and escalators	and escalators
1 Scope	S14C1 Scope
2 Requirements	<b>S14C2</b> Requirements
Specification D3.6 Braille and tactile signs	Specification 15 Braille and tactile signs
1 Scope	S15C1 Scope
2 Location of braille and tactile signs	<b>S15C2</b> Location of braille and tactile signs
<b>3</b> Braille and tactile sign specification	<b>S15C3</b> Braille and tactile sign specification
4 Luminance contrast	S15C4 Luminance contrast
5 Lighting	S15C5 Lighting
6 Braille	S15C6 Braille
<b>Specification D3.10</b> Accessible water entry/exit	<b>Specification 16</b> Accessible water entry/exit from
for swimming pools	swimming pools
1 Scope	S16C1 Scope
2 Fixed or moveable ramp	<b>S16C2</b> Fixed or moveable ramp
3 Zero depth entry	S16C3 Zero depth entry
4 Platform swimming pool lift	<b>S16C4</b> Platform swimming pool lift
5 Sling-style swimming pool lift	<b>S16C5</b> Sling-style swimming pool lift
<b>6</b> Aquatic wheelchair	S16C6 Aquatic wheelchair
Section E Services and equipment	
Part E1 Fire fighting equipment	Part E1 Fire fighting equipment
<b>EP1.1</b> Fire hose reels	E1P1 Fire hose reels
<b>EP1.2</b> Fire extinguishers	E1P2 Fire extinguishers
<b>EP1.3</b> Fire hydrants	E1P3 Fire hydrants
<b>EP1.4</b> Automatic fire suppression systems	<b>E1P4</b> Automatic fire suppression systems
<b>EP1.5</b> Fire-fighting services in buildings under	<b>E1P5</b> Fire-fighting services in buildings under
construction	construction
EP1.6 Fire control centres	E1P6 Fire control centres
<b>EV1.1</b> Fire Safety Verification Method	<b>E1V1</b> Fire Safety Verification Method
<b>E1.0</b> Deemed-to-Satisfy Provisions	<b>E1D1</b> Deemed-to-Satisfy Provisions
<b>E1.3</b> Fire hydrants	E1D2 Fire hydrants
<b>E1.4</b> Fire hose reels	E1D3 Fire hose reels
E1.5 Sprinklers	E1D4 Sprinklers
<b>Table E1.5</b> Requirements for sprinklers	E1D5 Where sprinklers are required: all
	classifications

	<b>E1D6</b> Where sprinklers are required: Class 2 and 3
	buildings other than residential care buildings
	E1D7 Where sprinklers are required: Class 3
	building used as a residential care building
	<b>E1D8</b> Where sprinklers are required: Class 6
	building
	<b>E1D9</b> Where sprinklers are required: Class 7a building, other than an open-deck carpark
	<b>E1D10</b> Where sprinklers are required: Class 9a
	health-care building used as a residential care
	building, Class 9c buildings
	<b>E1D11</b> Where sprinklers are required: Class 9b
	buildings
	<b>E1D12</b> Where sprinklers are required: additional
	requirements
Table E1.5 Note 4	E1D13 Where sprinklers are required: occupancies
	of excessive hazard
E1.6 Portable fire extinguishers	E1D14 Portable fire extinguishers
E1.8 Fire control centres	E1D15 Fire control centres
<b>E1.9</b> Fire precautions during construction	<b>E1D16</b> Fire precautions during construction
<b>E1.10</b> Provision for special hazards	<b>E1D17</b> Provision for special hazards
<b>Specification E1.5</b> Fire sprinkler systems	<b>Specification 17</b> Fire sprinkler systems
1 Scope	S17C1 Scope
<b>2</b> Application of automatic fire sprinkler standards	<b>S17C2</b> Application of automatic fire sprinkler
	standards
<b>3</b> Separation of sprinklered and non-sprinklered	<b>\$17C3</b> Separation of sprinklered and non-
areas	sprinklered areas
4 Protection of openings	S17C4 Protection of openings
5 Fast response sprinklers	<b>\$17C5</b> Quick response sprinklers
6 Sprinkler valve enclosures	<b>\$17C6</b> Sprinkler valve enclosures
7 Water supply	S17C7 Water supply
8 Building occupant warning system	<b>\$17C8</b> Building occupant warning system
9 Connection to other systems	<b>\$17C9</b> Connection to other systems
10 Anti-tamper devices	S17C10 Anti-tamper devices
11 Sprinkler systems in carparks	<b>S17C11</b> Sprinkler systems in carparks
12 Residential care buildings	S17C12 Residential care buildings
13 Sprinkler systems in lift installations	<b>\$17C13</b> Sprinkler systems in lift installations
	<b>S17C14</b> Early childhood centres
<b>Specification E1.5a</b> Class 2 and 3 buildings not	<b>Specification 18</b> Class 2 and 3 buildings not more
more than 25m in effective height	than 25m in effective height
1 Scope and application	S18C1 Scope
2 Customs vaguirous ants	S18C2 Application
2 Systems requirements	S18C3 System requirements
3 Permitted concessions	S18C4 Permitted concessions
Specification E1.8 Fire control centres	Specification 19 Fire control centres
1 Scope	S19C1 Scope
2 Durnoso and content	\$19C2 Application
2 Purpose and content 3 Location of fire control centre	<b>S19C3</b> Purpose and content of fire control centre <b>S19C4</b> Location of fire control centre
• Location of the control centre	313C4 LOCATION OF THE COURTOI CENTRE

4 Equipment not permitted within a fire control	<b>S19C5</b> Equipment not permitted within a fire
centre	control centre
5 Ambient sound level for a fire control centre	<b>\$19C6</b> Ambient sound level for a fire control centre
6 Construction of a fire control room	<b>\$19C7</b> Construction of a fire control room
7 Protection of openings in a fire control room	\$19C8 Protection of openings in a fire control room
8 Doors to a fire control room	\$19C9 Doors to a fire control room
9 Size and contents of a fire control room	<b>\$19C10</b> Size and contents of a fire control room
<b>10</b> Ventilation and power supply for a fire control	<b>S19C11</b> Ventilation and power supply for a fire
room	control room
11 Sign for a fire control room	<b>\$19C12</b> Sign for a fire control room
12 Lighting for a fire control room	<b>\$19C13</b> Lighting for a fire control room
Part E2 Smoke hazard management	Part E2 Smoke hazard management
<b>EP2.1</b> Automatic warning for sleeping occupants	<b>E2P1</b> Automatic warning for sleeping occupants
EP2.2 Safe evacuation routes	E2P2 Safe evacuation routes
<b>EV2.1</b> Fire Safety Verification Method	<b>E2V1</b> Fire Safety Verification Method
<b>E2.0</b> Deemed-to-Satisfy Provisions	<b>E2D1</b> Deemed-to-Satisfy Provisions
E2.1 Application of Part	E2D2 Application of requirements
E2.2 General requirements	E2D3 General requirements
Table E2.2a	E2D4 Fire-isolated exits
	<b>E2D5</b> Buildings more than 25m in effective height:
	Class 2 and 3 buildings and Class 4 part of a building
	<b>E2D6</b> Buildings more than 25m effective height:
	Class 5, 6, 7b, 8 or 9b buildings
	<b>E2D7</b> Buildings more than 25m in effective height:
	Class 9a buildings
	<b>E2D8</b> Buildings not more than 25m in effective
	height: Class 2 and 3 buildings and Class 4 part of a
	building
	<b>E2D9</b> Buildings not more than 25m in effective
	height: Class 5, 6, 7b, 8 and 9b buildings
	<b>E2D10</b> Buildings not more than 25m in effective
	height: large isolated buildings subject to C3D4
	<b>E2D11</b> Buildings not more than 25m in effective
	height: Class 9a and 9c buildings
	E2D12 Class 7a buildings
	<b>E2D13</b> Basements (other than Class 7a buildings)
	<b>E2D14</b> Class 6 buildings – fire compartments more
	than 2000m <sup>2</sup> : Class 6 building (not containing an
	enclosed walkway or mall serving more than one
	Class 6 sole-occupancy unit)
	<b>E2D15</b> Class 6 buildings – fire compartments more
	than 2000m <sup>2</sup> : Class 6 building (containing an
	enclosed common walkway or mall)
Table E2.2b	<b>E2D16</b> Class 9b – assembly buildings: nightclubs,
	discotheques and the like
	<b>E2D17</b> Class 9b – assembly buildings: exhibition
	halls
	<b>E2D18</b> Class 9b – assembly buildings: theatres and
	public halls
	Process and annual section of the se

	F3D40 Class Observation In 1919 and the state and
	<b>E2D19</b> Class 9b – assembly buildings: theatres and
	public halls (not listed in E2D18) including lecture
	theatres and cinema/auditorium complexes
	<b>E2D20</b> Class 9b assembly buildings: other assembly
	buildings (not listed in E2D16 to E2D19)
E2.3 Provision for special hazards	<b>E2D21</b> Provision for special hazards
<b>Specification E2.2a</b> Smoke detection and alarm	<b>Specification 20</b> Smoke detection and alarm
systems	systems
1 Scope	S20C1 Scope
2 Type of system	<b>S20C2</b> Type of system
<b>3</b> Smoke alarm system	<b>S20C3</b> Smoke alarm system
4 Smoke detection system	<b>S20C4</b> Smoke detection system
5 Combined smoke alarm and smoke detection	<b>S20C5</b> Combined smoke alarm and smoke
system	detection system
<b>6</b> Smoke detection for smoke control systems	<b>S20C6</b> Smoke detection for smoke control systems
7 Building occupant warning system	<b>S20C7</b> Building occupant warning system
8 System monitoring	<b>S20C8</b> System monitoring
Specification E2.2b Smoke exhaust systems	Specification 21 Smoke exhaust systems
1 Scope	S21C1 Scope
2 Smoke exhaust capacity	<b>S21C2</b> Smoke exhaust capacity
3 Smoke exhaust fans	<b>S21C3</b> Smoke exhaust fans
4 Smoke reservoirs	<b>S21C4</b> Smoke reservoirs
5 Smoke exhaust fan and vent location	<b>S21C5</b> Smoke exhaust fan and vent location
6 Make-up air	S21C6 Make-up air
7 Smoke exhaust system control	<b>S21C7</b> Smoke exhaust system control
8 Smoke detection	<b>S21C8</b> Smoke detection
Specification E2.2c Smoke-and-heat vents	Specification 22 Smoke-and-heat vents
	S22C1 Scope
1 Adoption of AS 2665	S22C2 Adoption of AS 2665
2 Controls	S22C3 Controls
Specification E2.2d Residential fire safety systems	<b>Specification 23</b> Residential fire safety systems
1 Application	S23C1 Scope
	S23C2 Application
2 Residential local fire alarm systems – Residential	<b>S23C3</b> General requirements
care buildings	<b>S23C4</b> Local fire indicator panel
	<b>S23C5</b> Smoke alarms
	<b>S23C6</b> Signal isolation interface units
	S23C7 Wiring
<b>3</b> Connection of residential sprinkler systems to a	<b>S23C8</b> Connection to monitoring service
fire station or other approved monitoring service	<b>S23C9</b> Indication at the fire indicator panel
Part E3 Lift installations	Part E3 Lift installations
EP3.1 Stretcher facilities	E3P1 Stretcher facilities
EP3.2 Emergency lifts	E3P2 Emergency lifts
EP3.3 Emergency alerts	E3P3 Emergency alerts
<b>EP3.4</b> Lift access for people with a disability	E3P4 Lift access for people with a disability
<b>EV3.1</b> Fire Safety Verification Method	E3V1 Fire Safety Verification Method
<b>EV3.2</b> Emergency alerts on the use of lifts	E3V2 Emergency alerts on the use of lifts
E3.0 Deemed-to-Satisfy Provisions	E3D1 Deemed-to-Satisfy Provisions
E3.1 Lift installations	E3D1 Deemed-to-satisfy Provisions E3D2 Lift installations
E3.1 LIIL IIISLAIIALIUIIS	EDUZ LIIL IIISLAIIALIUIIS

E2 2 Stretch or facility in lifts	F2D2 Chrotobou fooility in lifts
E3.2 Stretcher facility in lifts	E3D3 Stretcher facility in lifts
E3.3 Warning against use of lifts in fire	E3D4 Warning against use of lifts in fire
E3.4 Emergency lifts	E3D5 Emergency lifts
E3.5 Landings	E3D6 Landings
E3.6 Passenger lifts Table E.6a	E3D7 Passenger lift types and their limitations
Table E.6b	F2DQ Associate feetures associated for associated
Table E.6a	<b>E3D8</b> Accessible features required for passenger
Table E.6b	lifts
E3.7 Fire service controls	E3D9 Fire service controls
E3.8 Residential care buildings	E3D10 Residential care buildings
E3.9 Fire service recall control switch	E3D11 Fire service recall control switch
<b>E3.10</b> Lift car fire service drive control switch	<b>E3D12</b> Lift car fire service drive control switch
Specification E3.1 Lift installations	Specification 24 Lift installations
1 Scope	S24C1 Scope
2 Lift cars exposed to solar radiation	<b>S24C2</b> Lift cars exposed to solar radiation
3 Lift car emergency lighting	<b>S24C3</b> Lift car emergency lighting
4 Cooling of lift shaft	<b>S24C4</b> Cooling of lift shaft
<b>5</b> Lift foyer access	S24C5 Lift foyer access
<b>6</b> Emergency access doors in a single enclosed lift	<b>S24C6</b> Emergency access doors in a single enclosed
shaft	lift shaft
Part E4 Visibility in an emergency, exit signs and	Part E4 Visibility in an emergency, exit signs and
warning systems	warning systems
<b>EP4.1</b> Visibility in an emergency	E4P1 Visibility in an emergency
EP4.2 Identification of exits	E4P2 Identification of exits
<b>EP4.3</b> Emergency warning and intercom systems	<b>E4P3</b> Emergency warning and intercom systems
EV4.1 Emergency lighting	E4V1 Emergency lighting
<b>EV4.2</b> Fire Safety Verification Method	<b>E4V2</b> Fire Safety Verification Method
<b>E4.0</b> Deemed-to-Satisfy Provisions	<b>E4D1</b> Deemed-to-Satisfy Provisions
<b>E4.2</b> Emergency lighting requirements	<b>E4D2</b> Emergency lighting requirements
E4.3 Measurement of distance	E4D3 Measurement of distance
<b>E4.4</b> Design and operation of emergency lighting	<b>E4D4</b> Design and operation of emergency lighting
<b>E4.5</b> Exit signs	<b>E4D5</b> Exit signs
<b>E4.6</b> Direction signs	E4D6 Direction signs
<b>E4.7</b> Class 2 and 3 buildings and Class 4 parts:	<b>E4D7</b> Class 2 and 3 buildings and Class 4 parts:
Exemptions	exemptions
<b>E4.8</b> Design and operation of exit signs	<b>E4D8</b> Design and operation of exit signs
<b>E4.9</b> Emergency warning and intercom systems	<b>E4D9</b> Emergency warning and intercom systems
Specification E4.8 Photoluminescent exit signs	<b>Specification 25</b> Photoluminescent exit signs
1 Scope	S25C1 Scope
2 Application	S25C2 Application
3 Illumination	S25C3 Illumination
4 Pictorial elements	S25C4 Pictorial elements
5 Viewing distance	S25C5 Viewing distance
<b>6</b> Smoke control systems	S25C6 Smoke control systems
Section F Health and amenity	
Part F1 Damp and weatherproofing	Part F1 Surface water management, rising damp
	and external waterproofing
	<u> </u>

FP1.1 Managing rainwater impact on adjoining	F1P1 Managing rainwater impact on adjoining
properties 500 and a few sectors and a few secto	properties
<b>FP1.2</b> Preventing rainwater from entering	<b>F1P2</b> Preventing rainwater from entering buildings
buildings  ER1 3 Painwater drainage systems	F1P3 Rainwater drainage systems
FP1.3 Rainwater drainage systems FP1.4 Weatherproofing	F3P1 Weatherproofing
FP1.4 Weatherproofing FP1.5 Rising damp	F1P4 Rising damp
FP1.6 Wet area overflows	F2P1 Wet area overflows
FP1.7 Wet areas	F2P1 Wet area overnows
FV1.1 Weatherproofing	F3V1 Weatherproofing
<b>FV1.2</b> Overflow protection	F2V1 Overflow protection
F1.0 Deemed-to-Satisfy Provisions	F1D1 Deemed-to-Satisfy Provisions
F1.0 Deemed-to-Satisfy Provisions	F1D2 Application of Part
<b>F1.1</b> Stormwater drainage	F1D3 Stormwater drainage
F1.1 Stofffwater drainage	F1D4 Exposed joints
E1 4 External above ground membranes	F1D4 Exposed Joints F1D5 External waterproofing membranes
F1.4 External above ground membranes	·
F1.5 Roof coverings	F3D2 Roof coverings F3D3 Sarking
F1.6 Sarking  E1.7 Waterpreading of wet areas in buildings	F2D2 Wet area construction
<b>F1.7</b> Waterproofing of wet areas in buildings	
Table E1.7 Waterproofing and water resistance	F2D3 Rooms containing urinals
<b>Table F1.7</b> Waterproofing and water-resistance	<b>Specification 26</b> Waterproofing and water-
requirements for building elements in wet areas	resistance requirements for building elements in wet areas
Table F1.7	
Table F1.7	S26C1 Scope
	<b>S26C2</b> Application <b>S26C3</b> Shower area (enclosed and unenclosed)
	<b>\$26C4</b> Area outside shower area
	<b>\$26C5</b> Areas adjacent to baths and spas without showers
	<b>\$26C6</b> Other areas
F1.9 Damp-proofing	F1D6 Damp-proofing
<b>F1.10</b> Damp-proofing of floors on the ground	F1D7 Damp-proofing of floors on the ground
F1.11 Provision of floor wastes	F2D4 Floor wastes
F1.12 Subfloor ventilation	F1D8 Subfloor ventilation
F1.13 Glazed assemblies	F3D4 Glazed assemblies
11.13 Glazea assemblies	Part F2 Wet areas and overflow protection
	<b>F2D1</b> Deemed-to-Satisfy Provisions
	Part F3 Roof and wall cladding
	F3D1 Deemed-to-Satisfy Provisions
	F3D5 Wall cladding
Part F2 Sanitary and other facilities	Part F4 Sanitary and other facilities
FP2.1 Personal hygiene facilities	F4P1 Personal hygiene facilities
FP2.2 Laundry facilities	F4P2 Laundry facilities
FP2.3 Kitchen facilities	F4P3 Kitchen facilities
FP2.4 Disposal of contaminated water from	F4P4 Disposal of contaminated water from
containers	containers
<b>FP2.5</b> Construction of sanitary compartments to	<b>F4P5</b> Construction of sanitary compartments to
allow removal of unconscious people	allow removal of unconscious people
FP2.6 Microbial control for water systems	F4P6 Microbial control for water systems
FV2.1 Sanitary facilities	F4V1 Sanitary facilities
I VZ.I Samilary racilities	17VI Samuary racinities

<b>F2.0</b> Deemed-to-Satisfy Provisions	F4D1 Deemed-to-Satisfy Provisions
<b>F2.1</b> Facilities in residential buildings	F4D2 Facilities in residential buildings
<b>F2.2</b> Calculation of number of occupants and	<b>F4D3</b> Calculation of number of occupants and
facilities	facilities
<b>F2.3</b> Facilities in Class 3 to 9 buildings	<b>F4D4</b> Facilities in Class 3 to 9 buildings
<b>F2.4</b> Accessible sanitary facilities	<b>F4D5</b> Accessible sanitary facilities
Table F2.4(a) Accessible unisex sanitary	<b>F4D6</b> Accessible unisex sanitary compartments
compartments	, , , , , , , , , , , , , , , , , , , ,
Table F2.4(b) Accessible unisex showers	F4D7 Accessible unisex showers
<b>F2.5</b> Construction of sanitary compartments	F4D8 Construction of sanitary compartments
<b>F2.6</b> Interpretation: Urinals and washbasins	F4D9 Interpretation: urinals and washbasins
F2.7 Microbial (legionella) control	F4D10 Microbial (legionella) control
F2.8 Waste management	F4D11 Waste management
<b>F2.9</b> Accessible adult change facilities	F4D12 Accessible adult change facilities
Specification F2.9 Accessible adult change	<b>Specification 27</b> Accessible adult change facilities
facilities	
1 Scope	S27C1 Scope
2 General requirements	<b>S27C2</b> General requirements
3 Hoist	S27C3 Hoist
4 Toilet pan, seat, backrest and grabrails	<b>S27C4</b> Toilet pan, seat, backrest and grabrails
5 Washbasin and tap	S27C5 Washbasin and tap
6 Fixtures and fittings	<b>S27C6</b> Fixtures and fittings
<b>7</b> Change table	<b>S27C7</b> Change table
8 Changing rails	S27C8 Changing rails
9 Door and door controls	S27C9 Door and door controls
10 Signage	S27C10 Signage
11 Operating instructions	<b>S27C11</b> Operating instructions
Part F3 Room heights	Part F5 Room heights
FP3.1 Room or space heights	F5P1 Room or space heights
FV3.1 Room or space heights	F5V1 Room or space heights
<b>F3.0</b> Deemed-to-Satisfy Provisions	F5D1 Deemed-to-Satisfy Provisions
<b>F3.1</b> Height of rooms and other spaces	F5D2 Height of rooms and other spaces
Part F4 Light and ventilation	Part F6 Light and ventilation
FP4.1 Natural lighting	F6P1 Natural lighting
FP4.2 Artificial lighting	F6P2 Artificial lighting
FP4.3 Outdoor air supply	F6P3 Outdoor air supply
<b>FP4.4</b> Mechanical ventilation to control odours	<b>F6P4</b> Mechanical ventilation to control odours and
and contaminants	contaminants
FP4.5 Disposal of contaminated air	<b>F6P5</b> Disposal of contaminated air
<b>FV4.1</b> Verification of suitable indoor air quality	<b>F6V1</b> Verification of suitable indoor air quality
<b>FV4.2</b> Verification of suitable indoor air quality for	<b>F6V2</b> Verification of suitable indoor air quality for
carparks	carparks
FV4.3 Verification of suitable provision of natural	<b>F6V3</b> Verification of suitable provision of natural
light	light
<b>F4.0</b> Deemed-to-Satisfy Provisions	<b>F6D1</b> Deemed-to-Satisfy Provisions
F4.1 Provision of natural light	F6D2 Provision of natural light
<b>F4.2</b> Methods and extent of natural light	
	F6D3 Methods and extent of natural light
F4.3 Natural light borrowed from adjoining room	F6D3 Methods and extent of natural light F6D4 Natural light borrowed from adjoining room

F4.5 Ventilation of rooms	F6D6 Ventilation of rooms
F4.6 Natural ventilation	F6D7 Natural ventilation
F4.7 Ventilation borrowed from adjoining room	F6D8 Ventilation borrowed from adjoining room
<b>F4.8</b> Restriction on location of sanitary	<b>F6D9</b> Restriction on location of sanitary
compartments	compartments
F4.9 Airlocks	F6D10 Airlocks
F4.11 Carparks	F6D11 Carparks
F4.12 Kitchen local exhaust ventilation	F6D12 Kitchen local exhaust ventilation
Part F5 Sound transmission and insulation	Part F7 Sound transmission and insulation
FP5.1 Sound transmission through floors	F7P1 Sound transmission through floors
FP5.2 Sound transmission through walls	F7P2 Sound transmission through walls
FP5.3 Sound transmission through floor and wall	
penetrations and door assemblies	
FP5.4 Sound transmission through floors in	F7P3 Sound transmission through floors in a
residential care buildings	residential care building
FP5.5 Sound transmission through walls in	F7P4 Sound transmission through walls in a
residential care buildings	residential care building
FP5.6 Sound transmission through floor and wall	
penetrations in residential care buildings	
FV5.1 Sound transmission through floors [FP5.1	<b>F7V1</b> Sound transmission through floors [F7P1]
and FP5.3]	0 . ,
<b>FV5.2</b> Sound transmission through walls [FP5.2(a)	F7V2 Sound transmission through walls [F7P2(a)]
and FP5.3]	(1)
FV5.3 Sound transmission through floors [FP5.4	F7V3 Sound transmission through floors [F7P3]
and FP5.6]	
<b>FV5.4</b> Sound transmission through walls [FP5.5(a)	F7V4 Sound transmission through walls [F7P4(1)(a)
and FP5.6]	and (2)]
<b>F5.0</b> Deemed-to-Satisfy Provisions	F7D1 Deemed-to-Satisfy Provisions
F5.1 Application of Part	F7D2 Application of Part
<b>F5.2</b> Determination of airborne sound insulation	F7D3 Determination of airborne sound insulation
ratings	ratings
<b>F5.3</b> Determination of impact sound insulation	<b>F7D4</b> Determination of impact sound insulation
ratings	ratings
<b>F5.4</b> Sound insulation ratings of floors	F7D5 Sound insulation rating of floors
<b>F5.5</b> Sound insulation ratings of walls	F7D6 Sound insulation rating of walls
<b>F5.6</b> Sound insulation rating of internal services	F7D7 Sound insulation rating of internal services
<b>F5.7</b> Sound isolation of pumps	F7D8 Sound isolation of pumps
Consideration FF 2 Council insulation for building	
<b>Specification F5.2</b> Sound insulation for building	Specification 28 Sound insulation for building
elements	elements
	elements S28C1 Scope
elements  1 Scope	elements S28C1 Scope S28C2 Discontinuous construction
elements	elements S28C1 Scope
elements  1 Scope	elements S28C1 Scope S28C2 Discontinuous construction
elements  1 Scope  2 Construction Deemed-to-Satisfy	elements  S28C1 Scope  S28C2 Discontinuous construction  S28C3 Construction Deemed-to-Satisfy
elements  1 Scope	elements  S28C1 Scope  S28C2 Discontinuous construction  S28C3 Construction Deemed-to-Satisfy  S28C4 Acceptable forms of construction for walls -
elements  1 Scope  2 Construction Deemed-to-Satisfy	elements  S28C1 Scope  S28C2 Discontinuous construction  S28C3 Construction Deemed-to-Satisfy  S28C4 Acceptable forms of construction for walls - masonry
elements  1 Scope  2 Construction Deemed-to-Satisfy	S28C1 Scope S28C2 Discontinuous construction S28C3 Construction Deemed-to-Satisfy  S28C4 Acceptable forms of construction for walls - masonry S28C5 Acceptable forms of construction for walls -
elements  1 Scope  2 Construction Deemed-to-Satisfy	elements  S28C1 Scope  S28C2 Discontinuous construction  S28C3 Construction Deemed-to-Satisfy  S28C4 Acceptable forms of construction for walls - masonry  S28C5 Acceptable forms of construction for walls - concrete
elements  1 Scope  2 Construction Deemed-to-Satisfy	s28C1 Scope  S28C2 Discontinuous construction  S28C3 Construction Deemed-to-Satisfy  S28C4 Acceptable forms of construction for walls - masonry  S28C5 Acceptable forms of construction for walls -

	<b>S28C7</b> Acceptable forms of construction for walls -
	timber and steel framing
<b>Table 3</b> Acceptable forms of construction for floors	<b>S28C8</b> Acceptable forms of construction for floors - concrete
	<b>S28C9</b> Acceptable forms of construction for floors -
	autoclaved aerated concrete
	<b>S28C10</b> Acceptable forms of construction for floors
	- timber
Specification F5.5 Impact sound – Test of	<b>Specification 29</b> Impact sound – test of equivalence
equivalence	
1 Scope	S29C1 Scope
2 Construction to be tested	<b>S29C2</b> Construction to be tested
3 Method	S29C3 Method
Part F6 Condensation management	Part F8 Condensation management
FP6.1 Condensation and water vapour	<b>F8P1</b> Condensation and water vapour management
management	
FV6 Condensation management	F8V1 Condensation management
<b>F6.0</b> Deemed-to-Satisfy Provisions	F8D1 Deemed-to-Satisfy Provisions
<b>F6.1</b> Application of Part	F8D2 Application of Part
F6.2 Pliable building membrane	F8D3 External wall construction
<b>F6.3</b> Flow rate and discharge of exhaust systems	F8D4 Exhaust systems
<b>F6.4</b> Ventilation of roof spaces	F8D5 Ventilation of roof spaces
Section G Ancillary provisions	
Part G1 Minor structures and components	Part G1 Minor structures and components
GP1.1 Swimming pool drainage	G1P1 Swimming pool drainage
<b>GP1.2</b> Swimming pool access and water	G1P2 Swimming pool access and water
recirculation systems	recirculation systems
GP1.3 Cool rooms	G1P3 Cool rooms
GP1.4 Vaults	G1P4 Vaults
<b>GP1.5</b> Outdoor play spaces in early childhood	G1P5 Outdoor play spaces in early childhood
centres	centres
<b>G1.0</b> Deemed-to-Satisfy Provisions	G1D1 Deemed-to-Satisfy Provisions
<b>G1.1</b> Swimming pools	G1D2 Swimming pools
<b>G1.2</b> Refrigerated chambers, strong-rooms and	<b>G1D3</b> Refrigerated chambers, strong-rooms and
vaults	vaults
G1.3 Outdoor play spaces	G1D4 Outdoor play spaces
Part G2 Boilers, pressure vessels, heating	Part G2 Boilers, pressure vessels, heating
appliances, fireplaces, chimneys and flues	appliances, fireplaces, chimneys and flues
<b>GP2.1</b> Combustion heating appliances	<b>G2P1</b> Combustion heating appliances
<b>GP2.2</b> Boilers and pressure vessels	G2P2 Boilers and pressure vessels
GV2 Combustion appliances	G2V1 Combustion appliances
<b>G2.0</b> Deemed-to-Satisfy Provisions	<b>G2D1</b> Deemed-to-Satisfy Provisions
G2.2 Installation of appliances	G2D2 Installation of appliances
<b>G2.3</b> Open fireplaces	G2D3 Open fireplaces
<b>G2.4</b> Incinerator rooms	G2D4 Incinerator rooms
Specification G2.2 Installation of boilers and	<b>Specification 30</b> Installation of boilers and pressure
pressure vessels	vessels
1 Scope	S30C1 Scope
2 Boilers and pressure vessels	S30C2 Explosion relief

	S30C3 Floors and drainage
	S30C4 Protection from heat
Part G3 Atrium construction	Part G3 Atrium construction
G3.1 Application of Part	G3D1 Application of Part
<b>G3.2</b> Dimensions of atrium well	G3D2 Dimensions of atrium well
<b>G3.3</b> Separation of atrium by bounding walls	G3D3 Separation of atrium by bounding walls
<b>G3.4</b> Construction of bounding walls	G3D4 Construction of bounding walls
<b>G3.5</b> Construction of balconies	G3D5 Construction at balconies
<b>G3.6</b> Separation at roof	G3D6 Separation at roof
<b>G3.7</b> Means of egress	G3D7 Means of egress
<b>G3.8</b> Fire and smoke control systems	G3D8 Fire and smoke control systems
<b>Specification G3.8</b> Fire and smoke control systems	<b>Specification 31</b> Fire and smoke control systems in
in building containing atriums	buildings containing atriums
1 Scope	S31C1 Scope
2 Automatic fire sprinkler system	<b>S31C2</b> General requirements – automatic fire
, ,	sprinkler system
	S31C3 Roof protection
	S31C4 Atrium floor protection
	S31C5 Sprinkler systems to glazed walls
	S31C6 Stop valves
3 Smoke control system	<b>S31C7</b> General requirements – smoke control
·	system
	<b>\$31C8</b> Operation of atrium mechanical air-handling
	systems
	<b>S31C9</b> Activation of smoke control system
	S31C10 Smoke exhaust system
	S31C11 Upward air velocity
	S31C12 Exhaust fans
	S31C13 Smoke and heat vents
	S31C14 Make-up air supply
4 Fire detection and alarm system	<b>S31C15</b> General requirements – fire detection and
	alarm system
	S31C16 Smoke detection system
	<b>S31C17</b> Smoke detection in spaces separated from
	the atrium by bounding walls
	S31C18 Alarm systems
<b>5</b> Emergency warning and intercom systems	<b>S31C19</b> Emergency warning and intercom systems
<b>6</b> Standby power system	<b>S31C20</b> Standby power system
<b>7</b> System for excluding smoke from fire-isolated	<b>S31C21</b> System for excluding smoke from fire-
exits	isolated exits
Part G4 Construction in alpine areas	Part G4 Construction in alpine areas
<b>GP4.1</b> External doorways	G4P1 External doorways
<b>GP4.2</b> Structures forming pathways in snow	G4P2 Structures forming pathways in snow
conditions	conditions
GP4.3 Control of falling ice and snow	G4P3 Control of falling ice and snow
<b>GP4.4</b> Fire safety systems in alpine areas	<b>G4P4</b> Fire safety systems in alpine areas
<b>G4.0</b> Deemed-to-Satisfy Provisions	G4D1 Deemed-to-Satisfy Provisions
<b>G4.1</b> Application of Part	G4D2 Application of Part
G4.3 External doors	G4D3 External doors
G4.4 Emergency lighting	G4D4 Emergency lighting
	Page 17 of 44

<b>G4.5</b> External trafficable structures	<b>G4D5</b> External trafficable structures
G4.6 Clear space around buildings	G4D6 Clear space around buildings
G4.8 Fire-fighting services and equipment	G4D7 Fire-fighting services and equipment
<b>G4.9</b> Fire orders	G4D8 Fire orders
Part G5 Construction in bushfire prone areas	Part G5 Construction in bushfire prone areas
<b>GP5.1</b> Bushfire resistance	<b>G5P1</b> Bushfire resistance
	<b>G5P2</b> Additional bushfire requirements for certain
	Class 9 buildings
<b>GV5</b> Buildings in bushfire prone areas	<b>G5V1</b> Buildings in bushfire prone areas
<b>G5.0</b> Deemed-to-Satisfy Provisions	<b>G5D1</b> Deemed-to-Satisfy Provisions
<b>G5.1</b> Application of Part	G5D2 Application of Part
<b>G5.2</b> Protection	<b>G5D3</b> Protection – residential buildings
	<b>G5D4</b> Protection – certain Class 9 buildings
Part G6 Occupiable outdoor areas	Part G6 Occupiable outdoor areas
<b>G6.1</b> Application of Part	<b>G6D1</b> Application of Part
<b>G6.2</b> Fire hazard properties	<b>G6D2</b> Fire hazard properties
<b>G6.3</b> Fire separation	G6D3 Fire separation
<b>G6.4</b> Provision for escape	<b>G6D4</b> Provision for escape
<b>G6.5</b> Construction of exits	<b>G6D5</b> Construction of exits
<b>G6.6</b> Fire fighting equipment	G6D6 Fire fighting equipment
<b>G6.7</b> Lift installations	<b>G6D7</b> Lift installations
G6.8 Visibility in an emergency, exit signs and	<b>G6D8</b> Visibility in an emergency, exit signs and
warning systems	warning systems
<b>G6.9</b> Light and ventilation	G6D9 Light and ventilation
<b>G6.10</b> Fire orders	G6D10 Fire orders
	Part G7 Livable housing design
	G7P1 Livable housing design
	<b>G7D1</b> Deemed-to-Satisfy Provisions
	G7D2 Livable housing design
	<b>Specification 43</b> Bushfire protection for certain
	Class 9 buildings
	S43C1 Scope
	<b>S43C2</b> Separation from classified vegetation
	S43C3 Separation between buildings
	<b>S43C4</b> Separation from allotment boundaries and
	carparking areas
	<b>S43C5</b> Separation from hazards
	<b>S43C6</b> Non-combustible path around building
	S43C7 Access pathways
	S43C8 Exposed external areas
	S43C9 Internal tenability
	S43C10 Building envelope
	<b>S43C11</b> Supply of water for fire-fighting purposes
	S43C12 Emergency power supply
	S43C13 Signage
	S43C14 Vehicular access
Section H Special use buildings	S43C14 Vehicular access
Section H Special use buildings Part H1 Class 9b buildings	

H1.2 Separation	I1D2 Separation
H1.3 Proscenium wall construction	I1D3 Proscenium wall construction
H1.4 Seating area	I1D4 Seating area
H1.5 Exits from stages	I1D5 Exits from stages
H1.6 Access to platforms and lofts	I1D6 Access to platforms and lofts
H1.7 Aisle lights	I1D7 Aisle lights
Part H2 Public transport buildings	Part I2 Public transport buildings
<b>H2.1</b> Application of Part	I2D1 Application of Part
H2.2 Accessways	I2D2 Accessways
H2.3 Ramps	I2D3 Ramps
H2.4 Handrails and grabrails	I2D4 Handrails and grabrails
H2.5 Doorways and doors	I2D5 Doorways and doors
H2.6 Lifts	12D6 Lifts
H2.7 Stairways	I2D7 Stairways
H2.8 Unisex accessible toilet	12D8 Unisex accessible toilet
H2.9 Location of accessible toilets	12D9 Location of accessible toilets
H2.10 Symbols and signs	I2D10 Symbols and signs
<b>H2.11</b> Tactile ground surface indicators	I2D11 Tactile ground surface indicators
H2.12 Lighting	I2D12 Lighting
H2.13 Heating augmentation	I2D13 Hearing augmentation
H2.14 Emergency warning systems	I2D14 Emergency warning systems
H2.15 Controls	I2D15 Controls
Part H3 Farm buildings and farm sheds	Part 13 Farm buildings and farm sheds
H3.1 Application of Part	I3D1 Application of Part
H3.2 Fire resistance and separation	I3D2 Fire resistance and separation
H3.3 Provision of escape	I3D3 Provision of escape
H3.4 Construction of exits	I3D4 Construction of exits
H3.5 Fixed platforms, walkways, stairways and	I3D5 Fixed platforms, walkways, stairways and
ladders	ladders
H3.6 Thresholds	I3D6 Thresholds
H3.7 Swinging doors	I3D7 Swinging doors
H3.8 Fire fighting equipment	I3D8 Fire fighting equipment
H3.9 Fire hydrants and water supplies	I3D9 Fire hydrants and water supplies
H3.10 Fire hose reels	I3D10 Fire hose reels
H3.11 Portable fire extinguishers	I3D11 Portable fire extinguishers
H3.12 Emergency lighting requirements	I3D12 Emergency lighting requirements
H3.13 Exit signs	I3D13 Exit signs
H3.14 Direction signs	I3D14 Direction signs
H3.15 Design and operation of exit signs	I3D15 Design and operation of exit signs
H3.16 Sanitary facilities	I3D16 Sanitary facilities
H3.17 Height of rooms and other spaces	I3D17 Height of rooms and other spaces
H3.18 Artificial lighting	I3D18 Artificial lighting
Specification H1.3 Construction of proscenium	Specification 32 Construction of proscenium walls
walls	
1 Scope	<b>S32C1</b> Scope
2 Separation of stage areas, etc	S32C2 Separation of stage areas, etc
3 Proscenium wall construction	<b>S32C3</b> Proscenium wall construction
	S32C4 Combustible materials not to cross
4 Combustible materials not to cross proscenium	
wall	proscenium wall

5 Protection of openings in proscenium wall	<b>S32C5</b> Protection of openings in proscenium wall
6 Proscenium curtains	S32C6 Proscenium curtains
Section J Energy efficiency	
Section J Energy efficiency	Part J1 Energy efficiency performance
	requirements
JP1 Energy use	J1P1 Energy use
	J1P2 Thermal performance of a sole-occupancy unit or a Class 2 building or a Class 4 part of a building
	J1P3 Energy use of a sole-occupancy unit of a Class 2 building or a Class 4 part of a building
	J1P4 Renewable energy and electric vehicle
	charging
JV1 NABERS Energy for Offices	J1V1 NABERS Energy
JV2 Green Star	J1V2 Green Star
JV3 Verification using a reference building	J1V3 Verification using a reference building
JV4 Building envelope sealing	J1V4 Verification of building envelope sealing
	J1V5 Verification using a reference building for a
	Class 2 sole-occupancy unit
Specification JVa Additional requirements	Specification 33 Additional requirements
1 Scope	S33C1 Scope
2 Additional requirements – general	<b>S33C2</b> Additional requirements - general
<b>3</b> Additional requirements – NABERS Energy for	
Offices	
4 Additional requirements – Green Star	<b>S33C3</b> Additional requirements – Green Star
Specification JVb Modelling parameters	Specification 34 Modelling parameters for J1V3
Specification JVb Modelling parameters  1 Scope	Specification 34 Modelling parameters for J1V3 S34C1 Scope
Specification JVb Modelling parameters  1 Scope  2 Reference building	Specification 34 Modelling parameters for J1V3 S34C1 Scope S34C2 Reference building
Specification JVb Modelling parameters  1 Scope  2 Reference building  3 Proposed building and reference building	Specification 34 Modelling parameters for J1V3 S34C1 Scope S34C2 Reference building S34C3 Proposed building and reference building
Specification JVb Modelling parameters  1 Scope  2 Reference building  3 Proposed building and reference building  4 Services – proposed and reference building	Specification 34 Modelling parameters for J1V3 S34C1 Scope S34C2 Reference building S34C3 Proposed building and reference building S34C4 Services – proposed and reference building
Specification JVb Modelling parameters  1 Scope  2 Reference building  3 Proposed building and reference building  4 Services – proposed and reference building  Specification JVc Modelling profiles	Specification 34 Modelling parameters for J1V3 S34C1 Scope S34C2 Reference building S34C3 Proposed building and reference building S34C4 Services – proposed and reference building Specification 35 Modelling profiles
Specification JVb Modelling parameters  1 Scope  2 Reference building  3 Proposed building and reference building  4 Services – proposed and reference building  Specification JVc Modelling profiles  1 Scope	Specification 34 Modelling parameters for J1V3 S34C1 Scope S34C2 Reference building S34C3 Proposed building and reference building S34C4 Services – proposed and reference building Specification 35 Modelling profiles S32C1 Scope
Specification JVb Modelling parameters  1 Scope  2 Reference building  3 Proposed building and reference building  4 Services – proposed and reference building  Specification JVc Modelling profiles  1 Scope  2 Modelling profiles	Specification 34 Modelling parameters for J1V3 S34C1 Scope S34C2 Reference building S34C3 Proposed building and reference building S34C4 Services – proposed and reference building Specification 35 Modelling profiles S32C1 Scope S32C2 Modelling profiles
Specification JVb Modelling parameters  1 Scope  2 Reference building  3 Proposed building and reference building  4 Services – proposed and reference building  Specification JVc Modelling profiles  1 Scope  2 Modelling profiles  Part J0 Energy efficiency	Specification 34 Modelling parameters for J1V3 S34C1 Scope S34C2 Reference building S34C3 Proposed building and reference building S34C4 Services – proposed and reference building Specification 35 Modelling profiles S32C1 Scope S32C2 Modelling profiles Part J2 Energy efficiency
Specification JVb Modelling parameters  1 Scope  2 Reference building  3 Proposed building and reference building  4 Services – proposed and reference building  Specification JVc Modelling profiles  1 Scope  2 Modelling profiles  Part J0 Energy efficiency  J0.0 Deemed-to-Satisfy Provisions	Specification 34 Modelling parameters for J1V3 S34C1 Scope S34C2 Reference building S34C3 Proposed building and reference building S34C4 Services – proposed and reference building Specification 35 Modelling profiles S32C1 Scope S32C2 Modelling profiles Part J2 Energy efficiency J2D1 Deemed-to-Satisfy Provisions
Specification JVb Modelling parameters  1 Scope  2 Reference building  3 Proposed building and reference building  4 Services – proposed and reference building  Specification JVc Modelling profiles  1 Scope  2 Modelling profiles  Part J0 Energy efficiency  J0.0 Deemed-to-Satisfy Provisions  J0.1 Application of Section J	Specification 34 Modelling parameters for J1V3 S34C1 Scope S34C2 Reference building S34C3 Proposed building and reference building S34C4 Services – proposed and reference building Specification 35 Modelling profiles S32C1 Scope S32C2 Modelling profiles Part J2 Energy efficiency J2D1 Deemed-to-Satisfy Provisions J2D2 Application of Section J
Specification JVb Modelling parameters  1 Scope  2 Reference building  3 Proposed building and reference building  4 Services – proposed and reference building  Specification JVc Modelling profiles  1 Scope  2 Modelling profiles  Part J0 Energy efficiency  J0.0 Deemed-to-Satisfy Provisions  J0.1 Application of Section J  J0.2 Heating and cooling loads of sole-occupancy	Specification 34 Modelling parameters for J1V3 S34C1 Scope S34C2 Reference building S34C3 Proposed building and reference building S34C4 Services – proposed and reference building Specification 35 Modelling profiles S32C1 Scope S32C2 Modelling profiles Part J2 Energy efficiency J2D1 Deemed-to-Satisfy Provisions J2D2 Application of Section J J3D3 Reducing heating and cooling loads of a sole-
Specification JVb Modelling parameters  1 Scope  2 Reference building  3 Proposed building and reference building  4 Services – proposed and reference building  Specification JVc Modelling profiles  1 Scope  2 Modelling profiles  Part J0 Energy efficiency  J0.0 Deemed-to-Satisfy Provisions  J0.1 Application of Section J	Specification 34 Modelling parameters for J1V3 S34C1 Scope S34C2 Reference building S34C3 Proposed building and reference building S34C4 Services – proposed and reference building Specification 35 Modelling profiles S32C1 Scope S32C2 Modelling profiles Part J2 Energy efficiency J2D1 Deemed-to-Satisfy Provisions J2D2 Application of Section J J3D3 Reducing heating and cooling loads of a sole-occupancy unit of a Class 2 building or a Class 4 part
Specification JVb Modelling parameters  1 Scope  2 Reference building  3 Proposed building and reference building  4 Services – proposed and reference building  Specification JVc Modelling profiles  1 Scope  2 Modelling profiles  Part J0 Energy efficiency  J0.0 Deemed-to-Satisfy Provisions  J0.1 Application of Section J  J0.2 Heating and cooling loads of sole-occupancy units of a Class 2 building or a Class 4 part	Specification 34 Modelling parameters for J1V3 S34C1 Scope S34C2 Reference building S34C3 Proposed building and reference building S34C4 Services – proposed and reference building Specification 35 Modelling profiles S32C1 Scope S32C2 Modelling profiles Part J2 Energy efficiency J2D1 Deemed-to-Satisfy Provisions J2D2 Application of Section J J3D3 Reducing heating and cooling loads of a sole-occupancy unit of a Class 2 building or a Class 4 part of a building using house energy rating software
Specification JVb Modelling parameters  1 Scope  2 Reference building  3 Proposed building and reference building  4 Services – proposed and reference building  Specification JVc Modelling profiles  1 Scope  2 Modelling profiles  Part J0 Energy efficiency  J0.0 Deemed-to-Satisfy Provisions  J0.1 Application of Section J  J0.2 Heating and cooling loads of sole-occupancy	Specification 34 Modelling parameters for J1V3 S34C1 Scope S34C2 Reference building S34C3 Proposed building and reference building S34C4 Services – proposed and reference building Specification 35 Modelling profiles S32C1 Scope S32C2 Modelling profiles Part J2 Energy efficiency J2D1 Deemed-to-Satisfy Provisions J2D2 Application of Section J J3D3 Reducing heating and cooling loads of a sole-occupancy unit of a Class 2 building or a Class 4 part
Specification JVb Modelling parameters  1 Scope  2 Reference building  3 Proposed building and reference building  4 Services – proposed and reference building  Specification JVc Modelling profiles  1 Scope  2 Modelling profiles  Part J0 Energy efficiency  J0.0 Deemed-to-Satisfy Provisions  J0.1 Application of Section J  J0.2 Heating and cooling loads of sole-occupancy units of a Class 2 building or a Class 4 part	Specification 34 Modelling parameters for J1V3 S34C1 Scope S34C2 Reference building S34C3 Proposed building and reference building S34C4 Services – proposed and reference building Specification 35 Modelling profiles S32C1 Scope S32C2 Modelling profiles Part J2 Energy efficiency J2D1 Deemed-to-Satisfy Provisions J2D2 Application of Section J J3D3 Reducing heating and cooling loads of a sole-occupancy unit of a Class 2 building or a Class 4 part of a building using house energy rating software J3D4 Ceiling fans in a sole-occupancy unit of a Class
Specification JVb Modelling parameters  1 Scope  2 Reference building  3 Proposed building and reference building  4 Services – proposed and reference building  Specification JVc Modelling profiles  1 Scope  2 Modelling profiles  Part J0 Energy efficiency  J0.0 Deemed-to-Satisfy Provisions  J0.1 Application of Section J  J0.2 Heating and cooling loads of sole-occupancy units of a Class 2 building or a Class 4 part  J0.3 Ceiling fans	Specification 34 Modelling parameters for J1V3 S34C1 Scope S34C2 Reference building S34C3 Proposed building and reference building S34C4 Services – proposed and reference building Specification 35 Modelling profiles S32C1 Scope S32C2 Modelling profiles Part J2 Energy efficiency J2D1 Deemed-to-Satisfy Provisions J2D2 Application of Section J J3D3 Reducing heating and cooling loads of a sole-occupancy unit of a Class 2 building or a Class 4 part of a building using house energy rating software J3D4 Ceiling fans in a sole-occupancy unit of a Class 2 building or a Class 4 part of a building
Specification JVb Modelling parameters  1 Scope  2 Reference building  3 Proposed building and reference building  4 Services – proposed and reference building  Specification JVc Modelling profiles  1 Scope  2 Modelling profiles  Part J0 Energy efficiency  J0.0 Deemed-to-Satisfy Provisions  J0.1 Application of Section J  J0.2 Heating and cooling loads of sole-occupancy units of a Class 2 building or a Class 4 part  J0.3 Ceiling fans	Specification 34 Modelling parameters for J1V3 S34C1 Scope S34C2 Reference building S34C3 Proposed building and reference building S34C4 Services – proposed and reference building Specification 35 Modelling profiles S32C1 Scope S32C2 Modelling profiles Part J2 Energy efficiency J2D1 Deemed-to-Satisfy Provisions J2D2 Application of Section J J3D3 Reducing heating and cooling loads of a sole-occupancy unit of a Class 2 building or a Class 4 part of a building using house energy rating software J3D4 Ceiling fans in a sole-occupancy unit of a Class 2 building or a Class 4 part of a building J3D5 Roof thermal breaks of a sole-occupancy unit of a Class 2 building or a Class 4 part of a building J3D6 Wall thermal breaks of a sole-occupancy unit
Specification JVb Modelling parameters  1 Scope  2 Reference building  3 Proposed building and reference building  4 Services – proposed and reference building  Specification JVc Modelling profiles  1 Scope  2 Modelling profiles  Part J0 Energy efficiency  J0.0 Deemed-to-Satisfy Provisions  J0.1 Application of Section J  J0.2 Heating and cooling loads of sole-occupancy units of a Class 2 building or a Class 4 part  J0.3 Ceiling fans  J0.4 Roof thermal breaks	Specification 34 Modelling parameters for J1V3 S34C1 Scope S34C2 Reference building S34C3 Proposed building and reference building S34C4 Services – proposed and reference building Specification 35 Modelling profiles S32C1 Scope S32C2 Modelling profiles Part J2 Energy efficiency J2D1 Deemed-to-Satisfy Provisions J2D2 Application of Section J J3D3 Reducing heating and cooling loads of a sole-occupancy unit of a Class 2 building or a Class 4 part of a building using house energy rating software J3D4 Ceiling fans in a sole-occupancy unit of a Class 2 building or a Class 4 part of a building J3D5 Roof thermal breaks of a sole-occupancy unit of a Class 2 building or a Class 4 part of a building J3D6 Wall thermal breaks of a sole-occupancy unit of a Class 2 building or a Class 4 part of a building
Specification JVb Modelling parameters  1 Scope  2 Reference building  3 Proposed building and reference building  4 Services – proposed and reference building  Specification JVc Modelling profiles  1 Scope  2 Modelling profiles  Part J0 Energy efficiency  J0.0 Deemed-to-Satisfy Provisions  J0.1 Application of Section J  J0.2 Heating and cooling loads of sole-occupancy units of a Class 2 building or a Class 4 part  J0.3 Ceiling fans  J0.4 Roof thermal breaks	Specification 34 Modelling parameters for J1V3 S34C1 Scope S34C2 Reference building S34C3 Proposed building and reference building S34C4 Services – proposed and reference building Specification 35 Modelling profiles S32C1 Scope S32C2 Modelling profiles Part J2 Energy efficiency J2D1 Deemed-to-Satisfy Provisions J2D2 Application of Section J J3D3 Reducing heating and cooling loads of a sole-occupancy unit of a Class 2 building or a Class 4 part of a building using house energy rating software J3D4 Ceiling fans in a sole-occupancy unit of a Class 2 building or a Class 4 part of a building J3D5 Roof thermal breaks of a sole-occupancy unit of a Class 2 building or a Class 4 part of a building J3D6 Wall thermal breaks of a sole-occupancy unit of a Class 2 building or a Class 4 part of a building J3D6 Wall thermal breaks of a sole-occupancy unit of a Class 2 building or a Class 4 part of a building
Specification JVb Modelling parameters  1 Scope  2 Reference building  3 Proposed building and reference building  4 Services – proposed and reference building  Specification JVc Modelling profiles  1 Scope  2 Modelling profiles  Part J0 Energy efficiency  J0.0 Deemed-to-Satisfy Provisions  J0.1 Application of Section J  J0.2 Heating and cooling loads of sole-occupancy units of a Class 2 building or a Class 4 part  J0.3 Ceiling fans  J0.4 Roof thermal breaks	Specification 34 Modelling parameters for J1V3 S34C1 Scope S34C2 Reference building S34C3 Proposed building and reference building S34C4 Services – proposed and reference building Specification 35 Modelling profiles S32C1 Scope S32C2 Modelling profiles Part J2 Energy efficiency J2D1 Deemed-to-Satisfy Provisions J2D2 Application of Section J J3D3 Reducing heating and cooling loads of a sole-occupancy unit of a Class 2 building or a Class 4 part of a building using house energy rating software J3D4 Ceiling fans in a sole-occupancy unit of a Class 2 building or a Class 4 part of a building J3D5 Roof thermal breaks of a sole-occupancy unit of a Class 2 building or a Class 4 part of a building J3D6 Wall thermal breaks of a sole-occupancy unit of a Class 2 building or a Class 4 part of a building Part J3 Elemental provisions for a sole-occupancy unit of a Class 2 building or a Class 4 part of a building
Specification JVb Modelling parameters  1 Scope  2 Reference building  3 Proposed building and reference building  4 Services – proposed and reference building  Specification JVc Modelling profiles  1 Scope  2 Modelling profiles  Part J0 Energy efficiency  J0.0 Deemed-to-Satisfy Provisions  J0.1 Application of Section J  J0.2 Heating and cooling loads of sole-occupancy units of a Class 2 building or a Class 4 part  J0.3 Ceiling fans  J0.4 Roof thermal breaks	Specification 34 Modelling parameters for J1V3 S34C1 Scope S34C2 Reference building S34C3 Proposed building and reference building S34C4 Services – proposed and reference building Specification 35 Modelling profiles S32C1 Scope S32C2 Modelling profiles Part J2 Energy efficiency J2D1 Deemed-to-Satisfy Provisions J2D2 Application of Section J J3D3 Reducing heating and cooling loads of a sole-occupancy unit of a Class 2 building or a Class 4 part of a building using house energy rating software J3D4 Ceiling fans in a sole-occupancy unit of a Class 2 building or a Class 4 part of a building J3D5 Roof thermal breaks of a sole-occupancy unit of a Class 2 building or a Class 4 part of a building J3D6 Wall thermal breaks of a sole-occupancy unit of a Class 2 building or a Class 4 part of a building J3D6 Wall thermal breaks of a sole-occupancy unit of a Class 2 building or a Class 4 part of a building

	J3D2 Application of Part
	J3D7 Roofs and ceilings of a sole-occupancy unit of
	a Class 2 building or a Class 4 part of a building
	J3D8 External walls of a sole-occupancy unit of a
	Class 2 building or a Class 4 part of a building
	J3D9 Wall-glazing construction of a sole-occupancy
	unit of a Class 2 building or a Class 4 part of a
	building
	J3D10 Floors of a sole-occupancy unit of a Class 2
	building or a Class 4 part of a building
	J3D11 External winter glazing of a sole-occupancy
	unit of a Class 2 building or a Class 4 part of a
	building
	J3D12 External summer glazing of a sole-occupancy
	unit of a lass 2 building or a Class 4 part of a
	building
	J3D13 Shading of a sole-occupancy unit of a Class 2
	building or a Class 4 part of a building
	J3D14 Net equivalent energy usage of a sole-
	occupancy unit of a Class 2 building or a Class 4 part
	of a building
	J3D15 Net equivalent energy usage of a sole-
	occupancy unit of a Class 2 building or a Class 4 part
	of a building – home energy rating software
Part J1 Building fabric	Part J4 Building fabric
J1.0 Deemed-to-Satisfy Provisions	J4D1 Deemed-to-Satisfy Provisions
J1.1 Application of Part	J4D2 Application of Part
J1.2 Thermal construction – general	J4D3 Thermal construction – general
J1.3 Roof and ceiling construction	J4D4 Roof and ceiling construction
J1.4 Roof lights	J4D5 Roof lights
J1.5 Walls and glazing	J4D6 Walls and glazing
J1.6 Floors	J4D7 Floors
J1.6 Floors Part J3 Building sealing	J4D7 Floors Part J5 Building sealing
J1.6 Floors Part J3 Building sealing J3.0 Deemed-to-Satisfy Provisions	J4D7 Floors Part J5 Building sealing J5D1 Deemed-to-Satisfy Provisions
J1.6 Floors Part J3 Building sealing J3.0 Deemed-to-Satisfy Provisions J3.1 Application of Part	J4D7 Floors Part J5 Building sealing J5D1 Deemed-to-Satisfy Provisions J5D2 Application of Part
J1.6 Floors  Part J3 Building sealing  J3.0 Deemed-to-Satisfy Provisions  J3.1 Application of Part  J3.2 Chimneys and flues	J4D7 Floors Part J5 Building sealing J5D1 Deemed-to-Satisfy Provisions J5D2 Application of Part J5D3 Chimneys and flues
J1.6 Floors Part J3 Building sealing J3.0 Deemed-to-Satisfy Provisions J3.1 Application of Part J3.2 Chimneys and flues J3.3 Roof lights	J4D7 Floors Part J5 Building sealing J5D1 Deemed-to-Satisfy Provisions J5D2 Application of Part J5D3 Chimneys and flues J5D4 Roof lights
J1.6 Floors  Part J3 Building sealing  J3.0 Deemed-to-Satisfy Provisions  J3.1 Application of Part  J3.2 Chimneys and flues  J3.3 Roof lights  J3.4 Windows and doors	J4D7 Floors  Part J5 Building sealing  J5D1 Deemed-to-Satisfy Provisions  J5D2 Application of Part  J5D3 Chimneys and flues  J5D4 Roof lights  J5D5 Windows and doors
J1.6 Floors  Part J3 Building sealing  J3.0 Deemed-to-Satisfy Provisions  J3.1 Application of Part  J3.2 Chimneys and flues  J3.3 Roof lights  J3.4 Windows and doors  J3.5 Exhaust fans	J4D7 Floors Part J5 Building sealing J5D1 Deemed-to-Satisfy Provisions J5D2 Application of Part J5D3 Chimneys and flues J5D4 Roof lights J5D5 Windows and doors J5D6 Exhaust fans
J1.6 Floors  Part J3 Building sealing  J3.0 Deemed-to-Satisfy Provisions  J3.1 Application of Part  J3.2 Chimneys and flues  J3.3 Roof lights  J3.4 Windows and doors  J3.5 Exhaust fans  J3.6 Construction of ceiling, walls and floors	J4D7 Floors  Part J5 Building sealing  J5D1 Deemed-to-Satisfy Provisions  J5D2 Application of Part  J5D3 Chimneys and flues  J5D4 Roof lights  J5D5 Windows and doors  J5D6 Exhaust fans  J5D7 Construction of ceiling, walls and floors
J1.6 Floors  Part J3 Building sealing  J3.0 Deemed-to-Satisfy Provisions  J3.1 Application of Part  J3.2 Chimneys and flues  J3.3 Roof lights  J3.4 Windows and doors  J3.5 Exhaust fans  J3.6 Construction of ceiling, walls and floors  J3.7 Evaporative coolers	J4D7 Floors Part J5 Building sealing J5D1 Deemed-to-Satisfy Provisions J5D2 Application of Part J5D3 Chimneys and flues J5D4 Roof lights J5D5 Windows and doors J5D6 Exhaust fans J5D7 Construction of ceiling, walls and floors J5D8 Evaporative coolers
J1.6 Floors  Part J3 Building sealing  J3.0 Deemed-to-Satisfy Provisions  J3.1 Application of Part  J3.2 Chimneys and flues  J3.3 Roof lights  J3.4 Windows and doors  J3.5 Exhaust fans  J3.6 Construction of ceiling, walls and floors  J3.7 Evaporative coolers  Part J5 Air-conditioning and ventilation systems	J4D7 Floors Part J5 Building sealing J5D1 Deemed-to-Satisfy Provisions J5D2 Application of Part J5D3 Chimneys and flues J5D4 Roof lights J5D5 Windows and doors J5D6 Exhaust fans J5D7 Construction of ceiling, walls and floors J5D8 Evaporative coolers Part J6 Air-conditioning and ventilation
J1.6 Floors  Part J3 Building sealing  J3.0 Deemed-to-Satisfy Provisions  J3.1 Application of Part  J3.2 Chimneys and flues  J3.3 Roof lights  J3.4 Windows and doors  J3.5 Exhaust fans  J3.6 Construction of ceiling, walls and floors  J3.7 Evaporative coolers  Part J5 Air-conditioning and ventilation systems  J5.0 Deemed-to-Satisfy Provisions	J4D7 Floors Part J5 Building sealing J5D1 Deemed-to-Satisfy Provisions J5D2 Application of Part J5D3 Chimneys and flues J5D4 Roof lights J5D5 Windows and doors J5D6 Exhaust fans J5D7 Construction of ceiling, walls and floors J5D8 Evaporative coolers Part J6 Air-conditioning and ventilation J6D1 Deemed-to-Satisfy Provisions
J1.6 Floors  Part J3 Building sealing  J3.0 Deemed-to-Satisfy Provisions  J3.1 Application of Part  J3.2 Chimneys and flues  J3.3 Roof lights  J3.4 Windows and doors  J3.5 Exhaust fans  J3.6 Construction of ceiling, walls and floors  J3.7 Evaporative coolers  Part J5 Air-conditioning and ventilation systems  J5.0 Deemed-to-Satisfy Provisions  J5.1 Application of Part	J4D7 Floors Part J5 Building sealing J5D1 Deemed-to-Satisfy Provisions J5D2 Application of Part J5D3 Chimneys and flues J5D4 Roof lights J5D5 Windows and doors J5D6 Exhaust fans J5D7 Construction of ceiling, walls and floors J5D8 Evaporative coolers Part J6 Air-conditioning and ventilation J6D1 Deemed-to-Satisfy Provisions J6D2 Application of Part
J1.6 Floors  Part J3 Building sealing  J3.0 Deemed-to-Satisfy Provisions  J3.1 Application of Part  J3.2 Chimneys and flues  J3.3 Roof lights  J3.4 Windows and doors  J3.5 Exhaust fans  J3.6 Construction of ceiling, walls and floors  J3.7 Evaporative coolers  Part J5 Air-conditioning and ventilation systems  J5.0 Deemed-to-Satisfy Provisions  J5.1 Application of Part  J5.2 Air-conditioning system control	J4D7 Floors Part J5 Building sealing J5D1 Deemed-to-Satisfy Provisions J5D2 Application of Part J5D3 Chimneys and flues J5D4 Roof lights J5D5 Windows and doors J5D6 Exhaust fans J5D7 Construction of ceiling, walls and floors J5D8 Evaporative coolers Part J6 Air-conditioning and ventilation J6D1 Deemed-to-Satisfy Provisions J6D2 Application of Part J6D3 Air-conditioning system control
J1.6 Floors  Part J3 Building sealing J3.0 Deemed-to-Satisfy Provisions J3.1 Application of Part J3.2 Chimneys and flues J3.3 Roof lights J3.4 Windows and doors J3.5 Exhaust fans J3.6 Construction of ceiling, walls and floors J3.7 Evaporative coolers  Part J5 Air-conditioning and ventilation systems J5.0 Deemed-to-Satisfy Provisions J5.1 Application of Part J5.2 Air-conditioning system control J5.3 Mechanical ventilation system control	J4D7 Floors Part J5 Building sealing J5D1 Deemed-to-Satisfy Provisions J5D2 Application of Part J5D3 Chimneys and flues J5D4 Roof lights J5D5 Windows and doors J5D6 Exhaust fans J5D7 Construction of ceiling, walls and floors J5D8 Evaporative coolers Part J6 Air-conditioning and ventilation J6D1 Deemed-to-Satisfy Provisions J6D2 Application of Part J6D3 Air-conditioning system control J6D4 Mechanical ventilation system control
J1.6 Floors  Part J3 Building sealing  J3.0 Deemed-to-Satisfy Provisions  J3.1 Application of Part  J3.2 Chimneys and flues  J3.3 Roof lights  J3.4 Windows and doors  J3.5 Exhaust fans  J3.6 Construction of ceiling, walls and floors  J3.7 Evaporative coolers  Part J5 Air-conditioning and ventilation systems  J5.0 Deemed-to-Satisfy Provisions  J5.1 Application of Part  J5.2 Air-conditioning system control  J5.3 Mechanical ventilation system control  J5.4 Fan systems	J4D7 Floors Part J5 Building sealing J5D1 Deemed-to-Satisfy Provisions J5D2 Application of Part J5D3 Chimneys and flues J5D4 Roof lights J5D5 Windows and doors J5D6 Exhaust fans J5D7 Construction of ceiling, walls and floors J5D8 Evaporative coolers Part J6 Air-conditioning and ventilation J6D1 Deemed-to-Satisfy Provisions J6D2 Application of Part J6D3 Air-conditioning system control J6D4 Mechanical ventilation system control J6D5 Fans and duct systems
J1.6 Floors  Part J3 Building sealing J3.0 Deemed-to-Satisfy Provisions J3.1 Application of Part J3.2 Chimneys and flues J3.3 Roof lights J3.4 Windows and doors J3.5 Exhaust fans J3.6 Construction of ceiling, walls and floors J3.7 Evaporative coolers  Part J5 Air-conditioning and ventilation systems J5.0 Deemed-to-Satisfy Provisions J5.1 Application of Part J5.2 Air-conditioning system control J5.3 Mechanical ventilation system control J5.4 Fan systems J5.5 Ductwork insulation	Part J5 Building sealing  J5D1 Deemed-to-Satisfy Provisions  J5D2 Application of Part  J5D3 Chimneys and flues  J5D4 Roof lights  J5D5 Windows and doors  J5D6 Exhaust fans  J5D7 Construction of ceiling, walls and floors  J5D8 Evaporative coolers  Part J6 Air-conditioning and ventilation  J6D1 Deemed-to-Satisfy Provisions  J6D2 Application of Part  J6D3 Air-conditioning system control  J6D4 Mechanical ventilation system control  J6D5 Fans and duct systems  J6D6 Ductwork insulation
J1.6 Floors  Part J3 Building sealing  J3.0 Deemed-to-Satisfy Provisions  J3.1 Application of Part  J3.2 Chimneys and flues  J3.3 Roof lights  J3.4 Windows and doors  J3.5 Exhaust fans  J3.6 Construction of ceiling, walls and floors  J3.7 Evaporative coolers  Part J5 Air-conditioning and ventilation systems  J5.0 Deemed-to-Satisfy Provisions  J5.1 Application of Part  J5.2 Air-conditioning system control  J5.3 Mechanical ventilation system control  J5.4 Fan systems	J4D7 Floors Part J5 Building sealing J5D1 Deemed-to-Satisfy Provisions J5D2 Application of Part J5D3 Chimneys and flues J5D4 Roof lights J5D5 Windows and doors J5D6 Exhaust fans J5D7 Construction of ceiling, walls and floors J5D8 Evaporative coolers Part J6 Air-conditioning and ventilation J6D1 Deemed-to-Satisfy Provisions J6D2 Application of Part J6D3 Air-conditioning system control J6D4 Mechanical ventilation system control J6D5 Fans and duct systems

J5.8 Pipework insulation	J6D9 Pipework insulation
J5.9 Space heating	J6D10 Space heating
J5.10 Refrigerant chillers	J6D11 Refrigerant chillers
J5.11 Unitary air-conditioning equipment	J6D12 Unitary air-conditioning equipment
J5.12 Heat rejection equipment	J6D13 Heat rejection equipment
Part J6 Artificial lighting and power	Part J7 Artificial lighting and power
J6.0 Deemed-to-Satisfy Provisions	J7D1 Deemed-to-Satisfy Provisions
J6.1 Application of Part	J7D2 Application of Part
J6.2 Artificial lighting	J7D3 Artificial lighting
J6.3 Interior artificial lighting and power control	J7D4 Interior artificial lighting and power control
J6.4 Interior decorative and display lighting	J7D5 Interior decorative and display lighting
J6.5 Exterior artificial lighting	J7D6 Exterior artificial lighting
<b>J6.6</b> Boiling water and chilled water storage units	J7D7 Boiling water and chilled water storage units
<b>J6.7</b> Lifts	J7D8 Lifts
J6.8 Escalators and moving walkways	J7D9 Escalators and moving walkways
Part J7 Heated water supply and swimming pool	Part J8 Heated water supply and swimming pool
and spa pool plant	and spa pool plant
J7.0 Deemed-to-Satisfy Provisions	J8D1 Deemed-to-Satisfy Provisions
J7.2 Heated water supply	J8D2 Heated water supply
J7.3 Swimming pool heating and pumping	J8D3 Swimming pool heating and pumping
J7.4 Spa pool heating and pumping	J8D4 Spa pool heating and pumping
Part J8 Facilities for energy monitoring	Part J9 Energy monitoring and on-site distributed
	energy resources
J8.0 Deemed-to-Satisfy Provisions	J9D1 Deemed-to-Satisfy Provisions
J8.1 Application of Part	J9D2 Application of Part
J8.3 Facilities for energy monitoring	J9D3 Facilities for energy monitoring
θ, ε	J9D4 Facilities for electric vehicle charging
	equipment
	J9D5 Facilities for solar photovoltaic and battery
	systems
Specification J1.2 Material properties	Specification 36 Material properties
1 Scope	S23C1 Scope
2 Construction Deemed-to-Satisfy	S36C2 Construction Deemed-to-Satisfy
Specification J1.5a Calculation of U-Value and	<b>Specification 37</b> Calculation of U-value and solar
solar admittance	admittance
1 Scope	S37C1 Scope
<b>2</b> General	S37C2 General
3 U-Value – Method 1 (Single Aspect)	S37C3 U-Value – Method 1 (Single Aspect)
4 U-Value – Method 2 (Multiple Aspects)	S37C4 U-Value – Method 2 (Multiple Aspects)
<b>5</b> Solar admittance – Method 1 (Single Aspect)	<b>S37C5</b> Solar admittance – Method 1 (Single Aspect)
<b>6</b> Solar admittance – Method 2 (Multiple Aspects)	S37C6 Solar admittance – Method 2 (Multiple
	Aspects)
<b>7</b> Shading	S37C7 Shading
Specification J1.5b Spandrel panel thermal	Specification 38 Spandrel panel thermal
performance	performance
1 Scope	S38C1 Scope
2 Spandrel panel R-Value: Calculation method 1	<b>S38C2</b> Spandrel panel R-Value: Calculation method 1
3 Spandrel panel R-Value: Calculation method 2	<b>S38C3</b> Spandrel panel R-Value: Calculation method 2
• Spanurel patiel K-Value: Calculation method 2	·

<b>Specification J1.6</b> Sub-floor thermal performance	<b>Specification 39</b> Sub-floor and soil thermal performance
1 Scope	S39C1 Scope
2 Sub-floor thermal performance	<b>S39C2</b> Sub-floor space and soil thermal
2 3ub-11001 thermal performance	performance
Specification J6 Lighting and power control	Specification 40 Lighting and power control devices
devices	Specification 40 Lighting and power control devices
1 Scope	S40C1 Scope
2 Lighting timers	S40C2 Lighting timers
3 Time switch	S40C3 Time switch
4 Motion detectors	S40C4 Motion detectors
5 Daylight sensor and dynamic lighting control	<b>\$40C5</b> Daylight sensor and dynamic lighting control
device	device
	Specification 44 Calculation of heating load limit,
	cooling load limit and thermal energy load limit
	S44C1 Scope
	S44C2 Heating load limit
	S44C3 Cooling load limit
	S44C4 Thermal energy load limit
	Specification 45 Modelling profiles for J1V5
	S45C1 Scope
	<b>S45C2</b> Reference building sole-occupancy unit
	S45C3 Proposed building and reference building
Schedule 2 Abbreviations and symbols	
Schedule 2 Abbreviations and symbols	Schedule 1 Abbreviations
Schedule 2 Applications and symbols	Schedule 1 Symbols
Schedule 3 Definitions	Selication 1 Symbols
Schedule 3 Definitions	Schedule 1 Glossary
Schedule 4 Referenced documents	
Schedule 4 Referenced documents	Schedule 2 Referenced documents
Schedule 5 Fire-resistance of building	
Schedule 5 Fire-resistance of building elements	<b>Specification 1</b> Fire-resistance of building elements
1 Scope	S1C1 Scope
2 Rating	S1C2 Rating
<b>3</b> FRLs determined by calculation	S1C3 FRLs determined by calculation
4 Interchangeable materials	<b>S1C4</b> Interchangeable materials
5 Columns covered with lightweight construction	S1C5 Columns covered with lightweight
	construction
6 Non-loadbearing elements	S1C6 Non-loadbearing elements
Schedule 5 Fire-resistance of building elements	<b>Specification 2</b> Descriptions of elements referred to
Annexure to Table 1	in Specification 1
	S2C1 Scope
Annexure to Table 1	S2C2 Mortar for masonry
	s2C3 Gypsum blocks
	<b>S2C4</b> Gypsum-sand mortar and plaster

	<b>S2C6</b> Plaster of cement and sand or cement, lime
	and sand
	S2C7 Plaster reinforcement
	S2C8 Ashlar stone masonry
	S2C9 Dimensions of masonry
	S2C10 Solid units
	S2C11 Hollow units
	S2C12 Equivalent thickness
	<b>S2C13</b> Height-to-thickness ratio of certain walls
	<b>S2C14</b> Increase in thickness by plastering – walls
	<b>S2C15</b> Increase in thickness by plastering – columns
	<b>S2C16</b> Gypsum-perlite or gypsum-vermiculite
	plaster or metal lath – walls
	S2C17 Gypsum-perlite or gypsum-vermiculite
	plaster or metal lath – columns
	S2C18 Gypsum-perlite or gypsum-vermiculite
	plaster or metal lath – beams
	S2C19 Exposure of columns
	S2C20 Exposure of beams
	S2C21 Filling of column spaces
	S2C22 Hollow terracotta blocks
	S2C23 Reinforcing for column and beam protection
	– masonry
	S2C24 Reinforcing for column and beam protection
	– gypsum blocks and hollow terracotta blocks
	S2C25 Reinforcing for column and beam protection
	<ul> <li>structural concrete and poured gypsum</li> </ul>
	S2C26 Reinforcing for column and beam protection
	– gypsum-perlite or gypsum-vermiculite plaster
	sprayed to contour
	S2C27 Measurement of thickness of column and
	beam protection
Schedule 6 Fire hazard properties	
Schedule 6 Fire hazard properties	Specification 3 Fire hazard properties
1 Scope	S3C1 Scope
2 Assemblies	S3C2 General requirement
2 Assemblies	S3C3 Form of test
	S3C4 Test specimens S3C5 Concession
	S3C6 Smaller specimen permitted
Cabadula 7 Fina Cafatu Va ifination 14	
Schedule 7 Fire Safety Verification Me	
<b>Schedule 7</b> Fire Safety Verification Method	C1V4 Fire Safety Verification Method
	Moved to 'Fire Safety Verification Method'
	Standard
History of adoption	

History of adoption

**History of adoption of NCC Volume One** 

## Volume Two & Housing Provisions

NCC 2019 Reference	NCC 2022 Reference	
	Vol 2	<b>Housing Provisions</b>
Preface		
Copyright and Licence Notice	Copyright and Licence Notice	Copyright and Licence Notice
		How to use the Housing Provisions
Introduction to the National	Introduction to the National	
Construction Code (NCC)	Construction Code (NCC)	
Introduction to NCC Volume Two	Introduction to NCC Volume Two	
	List of NCC Specifications	
	History of Adoption – NCC Volume Two	
Section 1 Governing require	ments	
Part A1 Interpreting the NCC	Part A1 Interpreting the NCC	
	A1G1 Scope of NCC Volume One	
	A1G2 Scope of NCC Volume Two	
	A1G3 Scope of NCC Volume Three	
A1.0 Interpretation	A1G4 Interpretation	
Part A2 Compliance with the NCC	Part A2 Compliance with the NCC	
A2.0 Compliance	A2G1 Compliance	
A2.1 Compliance with the		
Performance Requirements		
A2.2 Performance Solution	A2G2 Performance Solution	
A2.3 Deemed-to-Satisfy Solution	<b>A2G3</b> Deemed-to-Satisfy Solution	
A2.4 A combination of solutions	<b>A2G4</b> A combination of solutions	
Part A3 Application of the NCC in	Part A3 Application of the	
States and Territories	NCC in States and Territories	
A3.0 State and Territory compliance	<b>A3G1</b> State and Territory compliance	
Part A4 Referenced documents	Part A4 Referenced documents	
A4.0 Referenced documents	A4G1 Referenced documents	
A4.1 Differences between	A4G2 Differences between	
referenced documents and the NCC	referenced documents and the NCC	
A4.2 Adoption of referenced documents	A4G3 Adoption of referenced documents	

Part A5 Documentation of design	Part A5 Documentation of	
and construction	design and construction	
A5.0 Suitability	A5G1 Suitability	
A5.1 Evidence of suitability –	A5G2 Evidence of suitability –	
Volumes One, Two and Three	Volumes One, Two and Three	
A5.2 Evidence of suitability –	A5G3 Evidence of suitability –	
Volumes One and Two	Volumes One and Two (BCA)	
A5.3 Evidence of suitability –	A5G4 Evidence of suitability –	
Volume Three	Volume Three (PCA)	
A5.4 Fire-resistance of building	A5G5 Fire-resistance of	
elements	building elements	
A5.5 Fire hazard properties	A5G6 Fire hazard properties	
<b>A5.6</b> Resistance to the incipient	A5G7 Resistance to the	
spread of fire	incipient spread of fire	
A5.7 Labelling of Aluminium	A5G8 Labelling of Aluminium	
Composite Panels	Composite Panels	
	A5G9 NatHERS	
Part A6 Building classification	Part A6 Building classification	
A6.0 Determining a building	<b>A6G1</b> Determining a building	
classification	classification	
A6.1 Class 1 buildings	A6G2 Class 1 buildings	
A6.2 Class 2 buildings	A6G3 Class 2 buildings	
A6.3 Class 3 buildings	A6G4 Class 3 buildings	
A6.4 Class 4 buildings	A6G5 Class 4 buildings	
A6.5 Class 5 buildings	A6G6 Class 5 buildings	
A6.6 Class 6 buildings	A6G7 Class 6 buildings	
A6.7 Class 7 buildings	A6G8 Class 7 buildings	
A6.8 Class 8 buildings	A6G9 Class 8 buildings	
A6.9 Class 9 buildings	A6G10 Class 9 buildings	
A6.10 Class 10 buildings and	A6G11 Class 10 buildings and	
structures	structures	
<b>A6.11</b> Multiple classifications	<b>A6G12</b> Multiple classifications	
Part A7 United buildings	Part A7 United buildings	
A7.0 United buildings	A7G1 United buildings	
A7.1 Alterations in a united building	A7G2 Alterations in a united	
	building	
<b>Section 2 Performance Prov</b>	isions	
Part 2.0 Application		
2.0.1 Application		
Part 2.1 Structure	Part H1 Structure	
P2.1.1 Structural stability and	H1P1 Structural stability and	
resistance	resistance	
P2.1.2 Buildings in flood areas	H1P2 Buildings in flood areas	
V2.1.1 Structural reliability	H1V1 Structural reliability	
V2.1.2 Structural robustness	H1V2 Structural robustness	
Part 2.2 Damp and weatherproofing	Part H2 Damp and	
	weatherproofing	
<b>P2.2.1</b> Rainwater management	<b>H2P1</b> Rainwater management	

P2.2.3 Rising damp	H2P3 Rising damp	
<b>P2.2.4</b> Drainage from swimming	H2P4 Drainage from	
pools	swimming pools	
V2.2.1 Weatherproofing	H2V1 Weatherproofing	
Part 2.3 Fire safety	Part H3 Fire safety	
P2.3.1 Spread of fire	H3P1 Spread of fire	
<b>P2.3.2</b> Automatic warning for	H3P2 Automatic warning for	
occupants	occupants	
<b>V2.3.1.1</b> Avoidance of the spread of	<b>H3V1</b> Avoidance of spread of	
fire [P2.3.1(a)(i)]	fire between buildings on one	
	allotment	
<b>V2.3.1.2</b> Avoidance of the spread of	H3V2 Avoidance of spread of	
fire [P2.3.1(a)(ii)]	fire from allotment boundary	
<b>V2.3.1.3</b> Avoidance of the spread of	H3V3 Avoidance of spread of	
fire [P2.3.1(b)] (adjoining allotment)	fire between buildings on	
	adjoining allotments	
V2.3.1.4 Avoidance of the spread of	H3V4 Avoidance of spread of	
fire [P2.3.1(b)] (same allotment)	fire between Class 2-9	
	buildings	
Part 2.4 Health and amenity	Part H4 Health and amenity	
P2.4.1 Wet areas	H4P1 Wet areas	
P2.4.2 Room heights	H4P2 Room heights	
<b>P2.4.3</b> Personal hygiene and other	H4P3 Personal hygiene and	
facilities	other facilities	
P2.4.4 Lighting	H4P4 Lighting	
P2.4.5 Ventilation	H4P5 Ventilation	
P2.4.6 Sound insulation	H4P6 Sound insulation	
P2.4.7 Condensation and water	H4P7 Condensation and	
vapour management	water vapour management	
V2.4.2 Room or space height	H4V1 Room or space height	
<b>V2.4.4</b> Verification of suitable	H4V2 Verification of suitable	
natural light	natural light	
<b>V2.4.5</b> Verification of suitable indoor	H4V3 Verification of indoor	
air quality	air quality	
V2.4.6 Sound insulation	H4V4 Sound insulation	
<b>V2.4.7</b> Verification of condensation	H4V5 Verification of	
management	condensation management	
Part 2.5 Safe movement and access	Part H5 Safe movement and	
	access	
<b>P2.5.1</b> Movement to and within a	H5P1 Movement to and	
building	within a building	
<b>P2.5.2</b> Fall prevention barriers	<b>H5P2</b> Fall prevention barriers	
V2.5.1 Wire barriers	<b>H5V1</b> Wire barriers	
Part 2.6 Energy efficiency	Part H6 Energy efficiency	
P2.6.1 Building	H6P1 Thermal performance	
P2.6.2 Services	H6P2 Energy usage	
<b>V2.6.1</b> Application of this Part	<b>H6V1</b> Application of H6V2	
	and H6V3	
V2.6.2.2 Verification using a	<b>H6V2</b> Verification using a	
reference building	reference building	
LIVINITAL DANGER CONTRACTOR	I CICI CITCE DUIIUITS	

V2.6.2.3 Verification of building	<b>H6V3</b> Verification of building	
envelope sealing	envelope sealing	
Part 2.7 Ancillary provisions and	Part H7 Ancillary provisions	
additional construction	and additional construction	
requirements	requirements	
P2.7.1 Swimming pool access	H7P1 Swimming pool access	
P2.7.2 Swimming pool recirculation	H7P2 Swimming pool	
systems	reticulation systems	
P2.7.3 Heating appliances	H7P3 Heating appliances	
P2.7.4 Buildings in alpine areas	H7P4 Buildings in alpine areas	
P2.7.5 Buildings in bushfire prone	H7P5 Buildings in bushfire	
areas	prone areas	
<b>P2.7.6</b> Private bushfire shelters	<b>H7P6</b> Private bushfire	
	shelters	
V2.7.1 Combustion appliances	H7V1 Combustion appliances	
<b>V2.7.2</b> Buildings in bushfire prone	H7V2 Buildings in bushfire	
areas	prone areas	
	Part H8 Livable housing	
	design	
	<b>H8P1</b> Livable housing design	
	<b>H8D1</b> Deemed-to-Satisfy	
	Provisions	
	H8D2 Livable housing design	
	<b>Specification 44</b> Calculation	
	of heating load limit, cooling	
	load limit and thermal energy	
	load limit	
	S44C1 Scope	
	<b>S44C2</b> Heating load limit	
	<b>S44C3</b> Cooling load limit	
	<b>S44C4</b> Thermal energy load	
	limit	
Section 3 Acceptable Constr	uction	
		Part 2.1 Scope and application of
		Section 2
		<b>2.1.1</b> Scope
		2.1.2 Application
	H1D1 Deemed-to-Satisfy	
	Provisions	
Part 3.0 Structural provisions	Part H1 Structure	Part 2.2 Structural provisions
<b>3.0.1</b> Application	H1D2 Structural provisions	
		<b>2.2.1</b> Application of Part 2.2
<b>3.0.2</b> Resistance to actions		2.2.2 Resistance to actions
<b>3.0.3</b> Determination of individual		<b>2.2.3</b> Determination of individual
actions		actions
<b>3.0.4</b> Determination of structural		<b>2.2.4</b> Determination of structural
resistance of materials and forms of		resistance of materials and forms
construction		of construction
<b>3.0.5</b> Structural software		<b>2.2.5</b> Structural software

<u> </u>	3.1 Site Preparation		
3.1.1 Scope 3.1.2 Application  Part 3.1 Site Preparation  Part 3.1.1 Earthworks  Part 3.1.1 Earthworks  3.1.1.0 Application  3.1.1.1 Un-retained bulk earthworks  - site cut  3.1.1.2 Un-retained bulk earthworks  - fill			Part 3.1 Scope and application of
Part 3.1 Site Preparation Part 3.1 Site Preparation Part 3.1.1 Earthworks  Part 3.1.1 Earthworks  3.1.2 Earthworks  H1D3 Site preparation  3.1.1.0 Application  3.1.1.1 Un-retained bulk earthworks  - site cut  3.1.1.2 Un-retained bulk earthworks  - fill  3.1.2 Earthworks  Barthworks  3.2.1 Un-retained bulk  Earthworks - site cut and fill			Section 3
Part 3.1 Site Preparation Part 3.1.1 Earthworks  3.1.1.0 Application 3.1.1.1 Un-retained bulk earthworks - site cut 3.1.1.2 Un-retained bulk earthworks - fill Part 3.2 Earthworks  3.2.1 Un-retained bulk earthworks - site cut and fill			<b>3.1.1</b> Scope
Part 3.1.1 Earthworks 3.1.1.0 Application 3.1.1.1 Un-retained bulk earthworks – site cut 3.1.1.2 Un-retained bulk earthworks - fill  H1D3 Site preparation 3.2.1 Un-retained bulk earthworks earthworks – site cut and fill			<b>3.1.2</b> Application
3.1.1.0 Application 3.1.1.1 Un-retained bulk earthworks – site cut 3.1.1.2 Un-retained bulk earthworks - fill	1 Site Preparation	H1D3 Site preparation	Part 3.2 Earthworks
3.1.1.1 Un-retained bulk earthworks – site cut  3.1.1.2 Un-retained bulk earthworks - fill  3.2.1 Un-retained bulk earthworks – site cut and fill	.1.1 Earthworks	H1D3 Site preparation	
- site cut  3.1.1.2 Un-retained bulk earthworks - fill  earthworks - site cut and fill	) Application		
3.1.1.2 Un-retained bulk earthworks - fill	Un-retained bulk earthworks		3.2.1 Un-retained bulk
- fill	cut		earthworks – site cut and fill
	! Un-retained bulk earthworks		
Part 3.1.2 Earth retaining structures H1D3 Site preparation			
	<b>1.2</b> Earth retaining structures	H1D3 Site preparation	
3.1.2.0 H1D3 Site preparation	)	H1D3 Site preparation	
<b>H2D1</b> Deemed-to-Satisfy	1	<b>H2D1</b> Deemed-to-Satisfy	
Provisions		Provisions	
Part 3.1.3 DrainageH2D2 DrainagePart 3.3 Drainage	<u> </u>	H2D2 Drainage	Part 3.3 Drainage
3.1.3.0 Application H2D2 Drainage	• •	H2D2 Drainage	
3.1.3.1 Application	L Application		
3.3.1 Application			• •
<b>3.1.3.2</b> Drainage requirements <b>3.3.2</b> Drainage requirements			
<b>3.1.3.3</b> Surface water drainage <b>3.3.3</b> Surface water drainage			Ü
3.1.3.4 Subsoil drainage 3.3.4 Subsoil drainage			-
<b>3.1.3.5</b> Stormwater drainage <b>3.3.5</b> Stormwater drainage			ğ
Part 3.1.4 Termite risk management H1D3 Site preparation Part 3.4 Termite risk	<b>1.4</b> Termite risk management	H1D3 Site preparation	
management			management
3.1.4.1 Application H1D3 Site preparation		H1D3 Site preparation	
·	•		<b>3.4.1</b> Requirements for termite
management systems management systems			
<b>3.1.4.3</b> Termite management 3.4.2 Termite management			<u>-</u>
systems systems  3.1.4.4 Durable notice 3.4.3 Durable notice			•
			3.4.3 Durable notice
Part 3.2 Footings and Slabs	3.2 Footings and Slabs		
Part 4.1 Scope and application			Part 4.1 Scope and application of
Section 4			
<b>4.1.1</b> Scope			•
4.1.2 Application			• •
4.1.3 Explanation of terms			·
Part 3.2 Footings and slabs H1D4 Footings and slabs Part 4.2 Footings, slabs and	<b>2</b> Footings and slabs	H1D4 Footings and slabs	<u> </u>
associated elements			associated elements
3.2.0 Application H1D4 Footings and slabs	Application	H1D4 Footings and slabs	
H2D3 Footings and slabs		<b>H2D3</b> Footings and slabs	
H1D12 Piled footings		H1D12 Piled footings	
3.2.1 Application H1D4 Footings and slabs	Application	H1D4 Footings and slabs	
Part 3.2.2 Preparation Part 4.2 Footings, slabs and	<b>2.2</b> Preparation		Part 4.2 Footings, slabs and
associated elements			associated elements
4.2.1 Application			4.2.1 Application
<b>3.2.2.1</b> Excavation for footings <b>4.2.3</b> Excavation for footings	Excavation for footings		<b>4.2.3</b> Excavation for footings
3.2.2.2 Filling under concrete slabs 4.2.4 Filling under concrete slabs	Pilling under concrete slabs		<b>4.2.4</b> Filling under concrete slabs

<b>3.2.2.3</b> Foundations for footings and slabs		<b>4.2.5</b> Foundations for footings and slabs
		0.110.010.00
<b>3.2.2.4</b> Slab edge support on sloping sites		<b>4.2.6</b> Slab edge support on sloping sites
3.2.2.5 Stepped footings		<b>4.2.7</b> Stepped footings
3.2.2.6 Vapour barriers		4.2.8 Vapour barriers
3.2.2.7 Edge rebates		4.2.9 Edge rebates
Part 3.2.3 Concrete and reinforcing		Part 4.2 Footings, slabs and
		associated elements
<b>3.2.3.1</b> Concrete		<b>4.2.10</b> Concrete
3.2.3.2 Steel reinforcement		<b>4.2.11</b> Steel reinforcement
Part 3.2.4 Site Classification		Part 4.2 Footings, slabs and
		associated elements
<b>3.2.4.1</b> Site classification		<b>4.2.2</b> Site classification
Part 3.2.5 Footings and slab		Part 4.2 Footings, slabs and
construction		associated elements
3.2.5.1 Footing and slab		4.2.12 Footing and slab
construction		construction
3.2.5.2 Footings and slabs to		<b>4.2.17</b> Footings for single leaf
extensions to existing buildings		masonry, mixed construction
		and earth wall construction
		<b>4.2.14</b> Stiffened rafts Class A, S
		and M sites
		<b>4.2.15</b> Strip footings Class A, S
		and M sites
		<b>4.2.16</b> Footing slabs for Class A
		sites
3.2.5.3 Shrinkage control		<b>4.2.19</b> Shrinkage control
3.2.5.4 Minimum edge beam		4.2.21 Minimum edge beam
dimensions		dimensions
<b>3.2.5.5</b> Footings for fireplaces on		<b>4.2.18</b> Footings for fireplaces for
Class A and S sites		Class A and S sites
<b>3.2.5.6</b> Stump footing details		<b>4.2.13</b> Stump footing details
		<b>4.2.20</b> Concentrated loads
		<b>4.2.22</b> Recessed areas of slabs
Part 3.3 Masonry		
Part 3.3.1 Unreinforced masonry	H1D5 Masonry	
3.3.1.0	H1D5 Masonry	
Part 3.3.2 Reinforced masonry	H1D5 Masonry	
3.3.2.0	H1D5 Masonry	
Part 3.3.3 Masonry accessories	H1D5 Masonry	
3.3.3.0	H1D5 Masonry	
Part 3.3.4 Weatherproofing of	H2D4 Masonry	
masonry		
<b>3.3.4</b> Application of this Part	H2D4 Masonry	
<b>3.3.4.0</b> Application	,,	
		Part 5.1 Scope and application of
		Section 5
		<b>5.1.1</b> Scope

		<b>5.1.2</b> Application
Part 3.3.5 Masonry veneer	H1D5 Masonry	Part 5.2 Masonry veneer
3.3.5.0	H1D5 Masonry	
3.3.5.1 Application		
		<b>5.2.1</b> Application
<b>3.3.5.2</b> Height of wall limitation		<b>5.2.2</b> Height of wall limitation
		<b>5.2.4</b> Damp-proof courses and
		flashing materials
		<b>5.2.5</b> Vertical articulation joints
3.3.5.3 Masonry units		5.6.2 Masonry units
3.3.5.4 Mortar mixes		<b>5.6.3</b> Mortar mixes
3.3.5.5 Mortar joints		<b>5.6.4</b> Mortar joints
<b>3.3.5.6</b> Cavities		<b>5.7.2</b> Cavities
<b>3.3.5.7</b> Damp-proof courses and		<b>5.7.3</b> Damp-proof courses and
flashings – material		flashings – material
3.3.5.8 Damp-proof courses and		<b>5.7.4</b> Damp-proof courses and
flashings – installation		flashings – installation
<b>3.3.5.9</b> Weepholes		5.7.5 Weepholes
<b>3.3.5.10</b> Wall ties		5.6.5 Wall tiles
3.3.5.11 Openings in masonry		<b>5.2.3</b> Openings in masonry
veneer		veneer
<b>3.3.5.12</b> Lintels		5.6.7 Lintels
<b>3.3.5.13</b> Vertical articulation joints		<b>5.6.8</b> Vertical articulation joints
3.3.5.14 Engaged piers		<b>5.2.6</b> Engaged piers
		Part 5.3 Cavity masonry
		5.3.1 Application
		<b>5.3.2</b> Height of wall limitation
		5.3.3 External walls
		5.3.4 Internal walls
		<b>5.3.5</b> Openings in cavity masonry
		<b>5.3.6</b> Damp-proof courses and
		flashing materials
		<b>5.3.7</b> Vertical articulation joints
		Part 5.4 Unreinforced single leaf
		masonry
		<b>5.4.1</b> Application of Part 5.4
		<b>5.4.2</b> External walls
		5.4.3 Internal walls
		<b>5.4.4</b> Vertical articulation joints
		<b>5.4.5</b> Damp-proof courses and
		flashing materials
Part 3.3.6 Isolated masonry piers	H1D5 Masonry	Part 5.5 Isolated masonry piers
3.3.6.0	H1D5 Masonry	
3.3.6.1 Application		
		<b>5.5.1</b> Application
<b>3.3.6.2</b> Piers supporting carports,		<b>5.5.2</b> Isolated piers supporting
verandahs, porches and similar roof		carports, verandahs, porches and
structures		similar roof structures
<b>3.3.6.3</b> Piers supporting tiled roofs		<b>5.5.3</b> Isolated piers supporting
		tiled roofs
		Da == 24 af 44

0.0 C 4 D'		
<b>3.3.6.4</b> Piers supporting sheet roofs		<b>5.5.4</b> Isolated piers supporting
2.2.C.E. Diagrafou functionaling		sheet roofs
<b>3.3.6.5</b> Piers for freestanding		<b>5.5.5</b> Isolated piers for
carports		freestanding carports
<b>3.3.6.6</b> Subfloor piers		<b>5.5.6</b> Subfloor isolated piers
		Part 5.6 Masonry components and accessories
		<b>5.6.1</b> Application
		<b>5.6.6</b> Fixing straps and tie-down systems
		Part 5.7 Weatherproofing of
		masonry
		5.7.1 Application
		<b>5.7.6</b> Weatherproofing for single
		leaf masonry walls
Part 3.4 Framing		
Part 3.4.0 Framing	H1D6 Framing	
<b>3.4.0.1</b> Explanation of terms <b>3.4.0.2</b> Structural software	H1D6 Framing	
3.4.0.2 Structural Software		Part 6.1 Scope and application of
		Section 6
		<b>6.1.1</b> Scope
		<b>6.1.2</b> Application
Part 3.4.1 Subfloor ventilation	<b>H2D5</b> Subfloor ventilation	Part 6.2 Subfloor ventilation
<b>3.4.1.1</b> Application	<b>H2D5</b> Subfloor ventilation	rate 6.2 Submoor ventuation
<b>3.4.1.2</b> Subfloor ventilation	11203 Submoor Vermination	<b>6.2.1</b> Subfloor ventilation
Part 3.4.2 Steel framing	H1D6 Framing	O.Z.I Sabilooi velitilation
3.4.2.0 Application	H1D6 Framing	
<b>3.4.2.0</b> Application Part <b>3.4.3</b> Timber framing	H1D6 Framing H1D6 Framing	
3.4.2.0 Application Part 3.4.3 Timber framing 3.4.3.0	H1D6 Framing H1D6 Framing H1D6 Framing	Part 6.3 Structural steel
<b>3.4.2.0</b> Application Part <b>3.4.3</b> Timber framing	H1D6 Framing H1D6 Framing	Part 6.3 Structural steel members
3.4.2.0 Application Part 3.4.3 Timber framing 3.4.3.0 Part 3.4.4 Structural steel members	H1D6 Framing H1D6 Framing H1D6 Framing H1D6 Framing	Part 6.3 Structural steel members
3.4.2.0 Application Part 3.4.3 Timber framing 3.4.3.0 Part 3.4.4 Structural steel members 3.4.4	H1D6 Framing H1D6 Framing H1D6 Framing	
3.4.2.0 Application Part 3.4.3 Timber framing 3.4.3.0 Part 3.4.4 Structural steel members 3.4.4 3.4.4.0 Application	H1D6 Framing H1D6 Framing H1D6 Framing H1D6 Framing	
3.4.2.0 Application Part 3.4.3 Timber framing 3.4.3.0 Part 3.4.4 Structural steel members 3.4.4	H1D6 Framing H1D6 Framing H1D6 Framing H1D6 Framing	members
3.4.2.0 Application Part 3.4.3 Timber framing 3.4.3.0 Part 3.4.4 Structural steel members 3.4.4 3.4.4.0 Application	H1D6 Framing H1D6 Framing H1D6 Framing H1D6 Framing	
3.4.2.0 Application Part 3.4.3 Timber framing 3.4.3.0 Part 3.4.4 Structural steel members 3.4.4 3.4.4.0 Application 3.4.4.1 Application	H1D6 Framing H1D6 Framing H1D6 Framing H1D6 Framing	6.3.1 Application
3.4.2.0 Application Part 3.4.3 Timber framing 3.4.3.0 Part 3.4.4 Structural steel members 3.4.4 3.4.4.0 Application 3.4.4.1 Application	H1D6 Framing H1D6 Framing H1D6 Framing H1D6 Framing	6.3.1 Application 6.3.2 Structural steel members 6.3.3 Bearers
3.4.2.0 Application Part 3.4.3 Timber framing 3.4.3.0 Part 3.4.4 Structural steel members 3.4.4 3.4.4.0 Application 3.4.4.1 Application	H1D6 Framing H1D6 Framing H1D6 Framing H1D6 Framing	6.3.1 Application 6.3.2 Structural steel members
3.4.2.0 Application Part 3.4.3 Timber framing 3.4.3.0 Part 3.4.4 Structural steel members 3.4.4 3.4.4.0 Application 3.4.4.1 Application	H1D6 Framing H1D6 Framing H1D6 Framing H1D6 Framing	6.3.1 Application 6.3.2 Structural steel members 6.3.3 Bearers 6.3.4 Strutting beams
3.4.2.0 Application Part 3.4.3 Timber framing 3.4.3.0 Part 3.4.4 Structural steel members 3.4.4 3.4.4.0 Application 3.4.4.1 Application 3.4.4.2 Structural steel members	H1D6 Framing H1D6 Framing H1D6 Framing H1D6 Framing	6.3.1 Application 6.3.2 Structural steel members 6.3.3 Bearers 6.3.4 Strutting beams 6.3.5 Lintels
3.4.2.0 Application Part 3.4.3 Timber framing 3.4.3.0 Part 3.4.4 Structural steel members 3.4.4 3.4.4.0 Application 3.4.4.1 Application 3.4.4.2 Structural steel members	H1D6 Framing H1D6 Framing H1D6 Framing H1D6 Framing	6.3.1 Application 6.3.2 Structural steel members 6.3.3 Bearers 6.3.4 Strutting beams 6.3.5 Lintels 6.3.6 Columns
3.4.2.0 Application Part 3.4.3 Timber framing 3.4.3.0 Part 3.4.4 Structural steel members 3.4.4 3.4.4.0 Application 3.4.4.1 Application 3.4.4.2 Structural steel members	H1D6 Framing H1D6 Framing H1D6 Framing H1D6 Framing	6.3.1 Application 6.3.2 Structural steel members 6.3.3 Bearers 6.3.4 Strutting beams 6.3.5 Lintels 6.3.6 Columns 6.3.7 Fixings and bearing for
3.4.2.0 Application Part 3.4.3 Timber framing 3.4.3.0 Part 3.4.4 Structural steel members 3.4.4 3.4.4.0 Application 3.4.4.1 Application 3.4.4.2 Structural steel members	H1D6 Framing H1D6 Framing H1D6 Framing H1D6 Framing	6.3.1 Application 6.3.2 Structural steel members 6.3.3 Bearers 6.3.4 Strutting beams 6.3.5 Lintels 6.3.6 Columns 6.3.7 Fixings and bearing for structural steel members
3.4.2.0 Application Part 3.4.3 Timber framing 3.4.3.0 Part 3.4.4 Structural steel members 3.4.4 3.4.4.0 Application 3.4.4.1 Application 3.4.4.2 Structural steel members	H1D6 Framing H1D6 Framing H1D6 Framing H1D6 Framing	6.3.1 Application 6.3.2 Structural steel members 6.3.3 Bearers 6.3.4 Strutting beams 6.3.5 Lintels 6.3.6 Columns 6.3.7 Fixings and bearing for structural steel members 6.3.8 Penetrations through
3.4.2.0 Application Part 3.4.3 Timber framing 3.4.3.0 Part 3.4.4 Structural steel members 3.4.4 3.4.4.0 Application 3.4.4.1 Application 3.4.4.2 Structural steel members  3.4.4.2 Corrosion protection	H1D6 Framing H1D6 Framing H1D6 Framing H1D6 Framing H1D6 Framing	6.3.1 Application 6.3.2 Structural steel members 6.3.3 Bearers 6.3.4 Strutting beams 6.3.5 Lintels 6.3.6 Columns 6.3.7 Fixings and bearing for structural steel members 6.3.8 Penetrations through structural steel members
3.4.2.0 Application Part 3.4.3 Timber framing 3.4.3.0 Part 3.4.4 Structural steel members 3.4.4 3.4.4.0 Application 3.4.4.1 Application 3.4.4.2 Structural steel members	H1D6 Framing H1D6 Framing H1D6 Framing H1D6 Framing H1D6 Framing	6.3.1 Application 6.3.2 Structural steel members 6.3.3 Bearers 6.3.4 Strutting beams 6.3.5 Lintels 6.3.6 Columns 6.3.7 Fixings and bearing for structural steel members 6.3.8 Penetrations through structural steel members 6.3.9 Corrosion protection
3.4.2.0 Application Part 3.4.3 Timber framing 3.4.3.0 Part 3.4.4 Structural steel members 3.4.4 3.4.4.0 Application 3.4.4.1 Application 3.4.4.2 Structural steel members  3.4.4.2 Corrosion protection	H1D6 Framing H1D6 Framing H1D6 Framing H1D6 Framing H1D6 Framing	6.3.1 Application 6.3.2 Structural steel members 6.3.3 Bearers 6.3.4 Strutting beams 6.3.5 Lintels 6.3.6 Columns 6.3.7 Fixings and bearing for structural steel members 6.3.8 Penetrations through structural steel members

		<b>7.1.1</b> Scope
		<b>7.1.2</b> Application
Part 3.5 Roof cladding, gutters and	H1D7 Roof and wall cladding	
downpipes and wall cladding		
<b>3.5.0.1</b> Explanation of terms	H1D7 Roof and wall cladding	
Part 3.5.1 Sheet roofing	H1D7 Roof and wall cladding	Part 7.2 Sheet roofing
	H2D6 Roof and wall cladding	
<b>3.5.1.0</b> Application	H1D7 Roof and wall cladding	
	H2D6 Roof and wall cladding	
3.5.1.1 Application	H1D7 Roof and wall cladding	
	H2D6 Roof and wall cladding	
		<b>7.2.1</b> Application of Part 7.2
<b>3.5.1.2</b> Corrosion protection and		<b>7.2.2</b> Corrosion protection and
compatibility requirements for		compatibility requirements for
roofing		roofing
<b>3.5.1.3</b> Minimum pitches for metal		<b>7.2.3</b> Minimum pitches for metal
sheet roofing profiles		sheet roofing profiles
3.5.1.4 Maximum spans		7.2.4 Maximum spans
<b>3.5.1.5</b> Fixing of metal sheet roofing		<b>7.2.5</b> Fixing of metal sheet
		roofing
<b>3.5.1.6</b> Installation of roofing sheets		<b>7.2.6</b> Installation of roofing
254751-1-1		sheets
<b>3.5.1.7</b> Flashings and cappings		7.2.7 Flashings and cappings
3.5.1.8 Water discharge	HADZ Deef and all dedutes	<b>7.2.8</b> Water discharge
Part 3.5.2 Roof tiles and shingles	H1D7 Roof and wall cladding	Part 7.3 Roof tiles and shingles
<b>3.5.2.0</b> Application	H2D6 Roof and wall cladding H1D7 Roof and wall cladding	
3.3.2.0 Application	H2D6 Roof and wall cladding	
<b>3.5.2.1</b> Application	H1D7 Roof and wall cladding	
3.3.2.1 Application	H2D6 Roof and wall cladding	
	11256 Roof and Wan cladding	<b>7.3.1</b> Application
<b>3.5.2.2</b> Fixing of roof tiles and		<b>7.3.2</b> Fixing of roof tiles and
ancillaries		ancillaries
3.5.2.3 Flashing		<b>7.3.3</b> Flashing
<b>3.5.2.4</b> Sarking		<b>7.3.4</b> Sarking
<b>3.5.2.5</b> Anti-ponding device/board		<b>7.3.5</b> Anti-ponding device/board
<b>3.5.2.6</b> Water discharge		<b>7.3.6</b> Water discharge
Part 3.5.3 Gutters and downpipes	H2D6 Roof and wall cladding	Part 7.4 Gutters and downpipes
3.5.3.0 Application	H2D6 Roof and wall cladding	
3.5.3.1 Application		
		<b>7.4.1</b> Application
3.5.3.2 Materials		<b>7.4.2</b> Materials
<b>3.5.3.3</b> Selection of guttering		<b>7.4.3</b> Selection of guttering
<b>3.5.3.4</b> Installation of gutters		<b>7.4.4</b> Installation of gutters
3.5.3.5 Downpipes – size and		<b>7.4.5</b> Downpipes – size and
installation		installation
Table 3.5.3.4a		<b>7.4.6</b> Acceptable continuous
		·
		overflow measure
Table 3.5.3.4b		overflow measure 7.4.7 Acceptable dedicated overflow measure per downpipe

Part 3.5.4 Timber and composite	H1D7 Roof and wall cladding	Part 7.5 Timber and composite
wall cladding	<b>H2D6</b> Roof and wall cladding	wall cladding
Wan cladamb	Tizzo Roof and Wan cladaling	wan ciadani <sub>b</sub>
3.5.4.0 Application	H1D7 Roof and wall cladding	
C.C. III / IP P.II Caller	<b>H2D6</b> Roof and wall cladding	-
3.5.4.1 Application	TIES Neer and wan cladaming	<b>7.5.1</b> Application
<b>3.5.4.2</b> Timber wall cladding		<b>7.5.2</b> Timber wall cladding
<b>3.5.4.3</b> Wall cladding boards		<b>7.5.3</b> Wall cladding boards
<b>3.5.4.4</b> Sheet wall cladding		<b>7.5.4</b> Sheet wall cladding
<b>3.5.4.5</b> Eaves and soffit linings		<b>7.5.5</b> Eaves and soffit linings
<b>3.5.4.6</b> Flashings to wall openings		<b>7.5.6</b> Flashings to wall openings
<b>3.5.4.7</b> Clearance between cladding		<b>7.5.7</b> Clearance between
and ground		cladding and ground
3.5.4.8 Parapet cappings		<b>7.5.8</b> Parapet cappings
Part 3.5.5 Metal wall cladding	H1D7 Roof and wall cladding	713.6 Faraper cappings
	<b>H2D6</b> Roof and wall cladding	
3.5.5.0 Application	H1D7 Roof and wall cladding	
3.3.3.6 Application	H2D6 Roof and wall cladding	_
Part 2.6 Glazing	11256 Roof and Wan cladding	
Part 3.6 Glazing	11170 01 1	
Part 3.6 Glazing	H1D8 Glazing	8 Glazing
	H2D7 Glazing	
<b>3.6.0</b> Application	H1D8 Glazing	_
	H2D7 Glazing	
<b>3.6.1</b> Application	H1D8 Glazing	_
	H2D7 Glazing	
		Part 8.1 Scope and application of
		Section 8
		<b>8.1.1</b> Scope
		8.1.2 Application
		Part 8.2 Windows and external
		glazed doors
		8.2.1 Application
		<b>8.2.2</b> Installation of windows
		Part 8.3 Glass
<b>3.6.2</b> Glazing sizes and installation		8.3.2 Glazing sizes and
		installation
<b>3.6.3</b> Fully framed glazing installed in		<b>8.3.3</b> Fully framed glazing
perimeter of buildings		installed in perimeter of
		buildings
<b>3.6.4</b> Human impact safety		8.3.1 Application
requirements		
		Part 8.4 Glazing human impact
		8.4.1 Application
<b>3.6.4.1</b> Doors		<b>8.4.2</b> Doors, side panels and
		other framed glazed panels
<b>3.6.4.2</b> Door side panels		<b>8.4.3</b> Door side panels
3.6.4.3 Full height framed glazed		<b>8.4.4</b> Full height framed glazed
panels		panels

<ul><li>3.6.4.4 Glazed panels, other than doors or side panels, on the perimeter of rooms</li><li>3.6.4.5 Bathroom, ensuite and spa</li></ul>		<b>8.4.5</b> Glazed panels, other than doors or side panels, on the perimeter of rooms <b>8.4.6</b> Kitchen, bathroom,
room glazing		ensuite, spa room and splash- back glazing
<b>3.6.4.6</b> Visibility of glazing		<b>8.4.7</b> Visibility of glazing <b>8.4.8</b> Identification of safety glass
Part 3.7 Fire Safety		Bidos
Part 3.7 Fire Safety	H3 Fire Safety	<b>9</b> Fire Safety
	<b>H3D1</b> Deemed-to-Satisfy Provisions	
Part 3.7.1 Fire properties for materials and construction	H3D2 Fire hazard properties	
<ul><li>3.7.1.1 General concession – non-combustible materials</li><li>3.7.1.2 Fire hazard properties</li></ul>	H3D2 Fire hazard properties	
		<b>Part 9.1</b> Scope and application of Section 9
		<b>9.1.1</b> Scope
		9.1.2 Application
<b>Part 3.7.2</b> Fire separation of external walls	H3D3 Fire separation of external walls	Part 9.2 Fire separation of external walls
<b>3.7.2.1</b> Application	<b>H3D3</b> Fire separation of external walls	
2 7 2 2 Federmal coella of Class 4		
<b>3.7.2.2</b> External walls of Class 1 buildings		<b>9.2.1</b> External walls of Class 1 buildings
buildings <b>3.7.2.3</b> Measurement of distances		buildings  9.2.2 Measurement of distances
<ul><li>buildings</li><li>3.7.2.3 Measurement of distances</li><li>3.7.2.4 Construction of external walls</li></ul>		<ul><li>buildings</li><li>9.2.2 Measurement of distances</li><li>9.2.3 Construction of external walls</li></ul>
buildings 3.7.2.3 Measurement of distances 3.7.2.4 Construction of external walls Figure 3.7.2.4 Protection of Class 1		<ul><li>buildings</li><li>9.2.2 Measurement of distances</li><li>9.2.3 Construction of external walls</li><li>9.2.5 Protection of Class 1</li></ul>
<ul><li>buildings</li><li>3.7.2.3 Measurement of distances</li><li>3.7.2.4 Construction of external walls</li></ul>		<ul><li>buildings</li><li>9.2.2 Measurement of distances</li><li>9.2.3 Construction of external walls</li></ul>
buildings 3.7.2.3 Measurement of distances 3.7.2.4 Construction of external walls Figure 3.7.2.4 Protection of Class 1 buildings – Class 10a between Class		<ul> <li>buildings</li> <li>9.2.2 Measurement of distances</li> <li>9.2.3 Construction of external walls</li> <li>9.2.5 Protection of Class 1 buildings – Class 10a between Class 1 and the allotment</li> </ul>
3.7.2.3 Measurement of distances 3.7.2.4 Construction of external walls  Figure 3.7.2.4 Protection of Class 1 buildings – Class 10a between Class 1 and the allotment boundary  Figure 3.7.2.5 Protection of Class 1 buildings – Class 10a between Class		<ul> <li>buildings</li> <li>9.2.2 Measurement of distances</li> <li>9.2.3 Construction of external walls</li> <li>9.2.5 Protection of Class 1</li> <li>buildings – Class 10a between</li> <li>Class 1 and the allotment boundary</li> <li>9.2.6 Protection of Class 1</li> <li>buildings – Class 10a between</li> <li>Class 1 and other buildings on</li> </ul>
3.7.2.3 Measurement of distances 3.7.2.4 Construction of external walls  Figure 3.7.2.4 Protection of Class 1 buildings – Class 10a between Class 1 and the allotment boundary  Figure 3.7.2.5 Protection of Class 1 buildings – Class 10a between Class 1 and other buildings on allotment  Figure 3.7.2.6 Protection of Class 1 buildings – Separation of Class 10a		<ul> <li>buildings</li> <li>9.2.2 Measurement of distances</li> <li>9.2.3 Construction of external walls</li> <li>9.2.5 Protection of Class 1 buildings – Class 10a between Class 1 and the allotment boundary</li> <li>9.2.6 Protection of Class 1 buildings – Class 10a between Class 1 and other buildings on allotment</li> <li>9.2.7 Protection of Class 1 buildings – separation of Class</li> </ul>
3.7.2.3 Measurement of distances 3.7.2.4 Construction of external walls  Figure 3.7.2.4 Protection of Class 1 buildings – Class 10a between Class 1 and the allotment boundary  Figure 3.7.2.5 Protection of Class 1 buildings – Class 10a between Class 1 and other buildings on allotment  Figure 3.7.2.6 Protection of Class 1 buildings – Separation of Class 10a buildings on an allotment  3.7.2.5 Class 10a buildings 3.7.2.6 Open carports		9.2.2 Measurement of distances 9.2.3 Construction of external walls 9.2.5 Protection of Class 1 buildings – Class 10a between Class 1 and the allotment boundary 9.2.6 Protection of Class 1 buildings – Class 10a between Class 1 and other buildings on allotment 9.2.7 Protection of Class 1 buildings – separation of Class 10a buildings on an allotment 9.2.4 Class 10a buildings 9.2.8 Open carports
3.7.2.3 Measurement of distances 3.7.2.4 Construction of external walls  Figure 3.7.2.4 Protection of Class 1 buildings – Class 10a between Class 1 and the allotment boundary  Figure 3.7.2.5 Protection of Class 1 buildings – Class 10a between Class 1 and other buildings on allotment  Figure 3.7.2.6 Protection of Class 1 buildings – Separation of Class 1 buildings on an allotment  3.7.2.5 Class 10a buildings 3.7.2.6 Open carports 3.7.2.7 Allowable encroachments		<ul> <li>buildings</li> <li>9.2.2 Measurement of distances</li> <li>9.2.3 Construction of external walls</li> <li>9.2.5 Protection of Class 1</li> <li>buildings – Class 10a between</li> <li>Class 1 and the allotment boundary</li> <li>9.2.6 Protection of Class 1</li> <li>buildings – Class 10a between</li> <li>Class 1 and other buildings on allotment</li> <li>9.2.7 Protection of Class 1</li> <li>buildings – separation of Class 1</li> <li>buildings – separation of Class 1</li> <li>buildings on an allotment</li> <li>9.2.4 Class 10a buildings</li> <li>9.2.8 Open carports</li> <li>9.2.9 Allowable encroachments</li> </ul>
3.7.2.3 Measurement of distances 3.7.2.4 Construction of external walls  Figure 3.7.2.4 Protection of Class 1 buildings – Class 10a between Class 1 and the allotment boundary  Figure 3.7.2.5 Protection of Class 1 buildings – Class 10a between Class 1 and other buildings on allotment  Figure 3.7.2.6 Protection of Class 1 buildings – Separation of Class 1 buildings on an allotment  3.7.2.5 Class 10a buildings 3.7.2.6 Open carports 3.7.2.7 Allowable encroachments 3.7.2.8 Roof lights		9.2.2 Measurement of distances 9.2.3 Construction of external walls 9.2.5 Protection of Class 1 buildings – Class 10a between Class 1 and the allotment boundary 9.2.6 Protection of Class 1 buildings – Class 10a between Class 1 and other buildings on allotment 9.2.7 Protection of Class 1 buildings – separation of Class 10a buildings on an allotment 9.2.4 Class 10a buildings 9.2.8 Open carports 9.2.9 Allowable encroachments 9.2.10 Roof lights
3.7.2.3 Measurement of distances 3.7.2.4 Construction of external walls  Figure 3.7.2.4 Protection of Class 1 buildings – Class 10a between Class 1 and the allotment boundary  Figure 3.7.2.5 Protection of Class 1 buildings – Class 10a between Class 1 and other buildings on allotment  Figure 3.7.2.6 Protection of Class 1 buildings – Separation of Class 1 buildings on an allotment  3.7.2.5 Class 10a buildings 3.7.2.6 Open carports 3.7.2.7 Allowable encroachments	H3D4 Fire protection of separating walls and floors	<ul> <li>buildings</li> <li>9.2.2 Measurement of distances</li> <li>9.2.3 Construction of external walls</li> <li>9.2.5 Protection of Class 1</li> <li>buildings – Class 10a between</li> <li>Class 1 and the allotment boundary</li> <li>9.2.6 Protection of Class 1</li> <li>buildings – Class 10a between</li> <li>Class 1 and other buildings on allotment</li> <li>9.2.7 Protection of Class 1</li> <li>buildings – separation of Class 1</li> <li>buildings – separation of Class 1</li> <li>buildings on an allotment</li> <li>9.2.4 Class 10a buildings</li> <li>9.2.8 Open carports</li> <li>9.2.9 Allowable encroachments</li> </ul>

3.7.3.1 Application	<b>H3D4</b> Fire protection of separating walls and floors	
3.7.3.2 Separating walls		9.3.1 Separating walls
<b>3.7.3.3</b> Services in separating walls		<b>9.3.2</b> Services in separating walls
<b>3.7.3.4</b> Roof lights		9.3.3 Roof lights
<b>3.7.3.5</b> Horizontal projections		9.3.4 Horizontal projections
Part 3.7.4 Fire separation of garage	H3D5 Fire separation of	Part 9.4 Fire protection of garage
top dwellings	garage top-dwellings	top dwellings
3.7.4.1 Application	H3D5 Fire separation of garage top-dwellings	
<b>3.7.4.2</b> Walls requiring protection		<b>9.4.1</b> Walls requiring protection
3.7.4.3 Separating floors		<b>9.4.2</b> Separating floors
Part 3.7.5 Smoke alarms and	H3D6 Smoke alarms and	Part 9.5 Smoke alarms and
evacuation lighting	evacuation lighting	evacuation lighting
3.7.5.1 Application	H3D6 Smoke alarms and evacuation lighting	
<b>3.7.5.2</b> Smoke alarm requirements		<b>9.5.1</b> Smoke alarm requirements
<b>3.7.5.3</b> Location – Class 1a buildings		<b>9.5.2</b> Location – Class 1a buildings
<b>3.7.5.4</b> Location – Class1b buildings		9.5.3 Location – Class 1b
		buildings
<b>3.7.5.5</b> Installation of smoke alarms		9.5.4 Installation of smoke
		alarms
<b>3.7.5.6</b> Lighting to assist evacuation		9.5.5 Lighting to assist
- Class 1b buildings		evacuation – Class 1b buildings
Part 3.8 Health and Amenit	<b>y</b>	
		Part 10.1 Scope and application
		of Section 10
		<b>10.1.1.</b> Scope
		10.1.2 Application
	<b>H4D1</b> Deemed-to-Satisfy Provisions	10.1.2 Application
Part 3.8.1 Wet areas and external	•	Part 10.2 Wet area
Part 3.8.1 Wet areas and external waterproofing	Provisions	
	Provisions	Part 10.2 Wet area
waterproofing	Provisions H4D2 Wet areas	Part 10.2 Wet area
waterproofing 3.8.1.1 Application	Provisions H4D2 Wet areas H4D2 Wet areas	Part 10.2 Wet area waterproofing
waterproofing 3.8.1.1 Application	Provisions H4D2 Wet areas H4D2 Wet areas H4D2 Wet areas	Part 10.2 Wet area waterproofing
waterproofing 3.8.1.1 Application	Provisions H4D2 Wet areas H4D2 Wet areas H4D2 Wet areas H4D3 Materials and	Part 10.2 Wet area waterproofing
waterproofing 3.8.1.1 Application	Provisions H4D2 Wet areas H4D2 Wet areas H4D2 Wet areas H4D3 Materials and installation of wet area	Part 10.2 Wet area waterproofing
waterproofing 3.8.1.1 Application 3.8.1.2 Wet Areas	Provisions H4D2 Wet areas H4D2 Wet areas H4D2 Wet areas H4D3 Materials and installation of wet area	Part 10.2 Wet area waterproofing  10.2.1 Wet areas
waterproofing 3.8.1.1 Application 3.8.1.2 Wet Areas  Table 3.8.1.1 Waterproofing and	Provisions H4D2 Wet areas H4D2 Wet areas H4D2 Wet areas H4D3 Materials and installation of wet area	Part 10.2 Wet area waterproofing  10.2.1 Wet areas  10.2.2 Shower area (enclosed
waterproofing 3.8.1.1 Application 3.8.1.2 Wet Areas  Table 3.8.1.1 Waterproofing and water resistance requirements for	Provisions H4D2 Wet areas H4D2 Wet areas H4D2 Wet areas H4D3 Materials and installation of wet area	Part 10.2 Wet area waterproofing  10.2.1 Wet areas  10.2.2 Shower area (enclosed and unenclosed)  10.2.3 Area outside shower area 10.2.4 Areas adjacent to baths
waterproofing 3.8.1.1 Application 3.8.1.2 Wet Areas  Table 3.8.1.1 Waterproofing and water resistance requirements for	Provisions H4D2 Wet areas H4D2 Wet areas H4D2 Wet areas H4D3 Materials and installation of wet area	Part 10.2 Wet area waterproofing  10.2.1 Wet areas  10.2.2 Shower area (enclosed and unenclosed) 10.2.3 Area outside shower area 10.2.4 Areas adjacent to baths and spas without showers
waterproofing 3.8.1.1 Application 3.8.1.2 Wet Areas  Table 3.8.1.1 Waterproofing and water resistance requirements for	Provisions H4D2 Wet areas H4D2 Wet areas H4D2 Wet areas H4D3 Materials and installation of wet area	Part 10.2 Wet area waterproofing  10.2.1 Wet areas  10.2.2 Shower area (enclosed and unenclosed)  10.2.3 Area outside shower area 10.2.4 Areas adjacent to baths
waterproofing 3.8.1.1 Application 3.8.1.2 Wet Areas  Table 3.8.1.1 Waterproofing and water resistance requirements for	Provisions H4D2 Wet areas H4D2 Wet areas H4D2 Wet areas H4D3 Materials and installation of wet area	Part 10.2 Wet area waterproofing  10.2.1 Wet areas  10.2.2 Shower area (enclosed and unenclosed) 10.2.3 Area outside shower area 10.2.4 Areas adjacent to baths and spas without showers
3.8.1.1 Application 3.8.1.2 Wet Areas  Table 3.8.1.1 Waterproofing and water resistance requirements for building elements in wet areas  3.8.1.3 External above ground	Provisions H4D2 Wet areas H4D2 Wet areas H4D3 Wet areas H4D3 Materials and installation of wet area components and systems	Part 10.2 Wet area waterproofing  10.2.1 Wet areas  10.2.2 Shower area (enclosed and unenclosed) 10.2.3 Area outside shower area 10.2.4 Areas adjacent to baths and spas without showers

		<b>10.2.8</b> Materials – waterproof
		10.2.9 Materials – water
		resistant substrates
		<b>10.2.10</b> Materials – water
		resistant surface materials
		<b>10.2.11</b> Construction of wet
		areas – wall and floor substrate
		materials
		<b>10.2.12</b> Construction of wet area
		floors – falls
		<b>10.2.13</b> Construction of wet
		areas – wall and floor surface
		materials
		<b>10.2.14</b> Shower area
		requirements
		10.2.15 Stepdown showers
		10.2.16 Hob construction
		10.2.17 Enclosed showers with
		level threshold (without hob or
		set down)
		<b>10.2.18</b> Unenclosed showers
		<b>10.2.19</b> Preformed shower bases
		10.2.20 Baths and spas
		10.2.21 Membrane installation
		for screed
		10.2.22 Substrate surface
		preparation for application of
		membrane
		10.2.23 Penetrations
		10.2.24 Flashings/junctions
		<b>10.2.25</b> Shower area floor
		membrane application
		<b>10.2.26</b> Shower area membrane
		requirements for wall sheeting
		substrates
		<b>10.2.27</b> Bond breaker installation
		for bonded membranes
		10.2.28 Installation of internal
		membranes
		<b>10.2.29</b> Membrane to drainage
		connection
		<b>10.2.30</b> Drainage riser
		connection
		<b>10.2.31</b> Door jambs on tiled
		floors  10.2.32 Shower screens
Part 2 8 2 Poem heights	HADA Poom hoights	
Part 3.8.2 Room heights	H4D4 Room heights H4D4 Room heights	Part 10.3 Room heights
<b>3.8.2.1</b> Application <b>3.8.2.2</b> Height of rooms and other	H4D4 VOOIII HEISHIS	10 2 1 Hoight of rooms and
_		<b>10.3.1</b> Height of rooms and
spaces		other spaces

Part 3.8.3 Facilities	H4D5 Facilities	Part 10.4 Facilities
3.8.3.1 Application	H4D5 Facilities	
<b>3.8.3.2</b> Required facilities		10.4.1 Required facilities
<b>3.8.3.3</b> Construction of sanitary		<b>10.4.2</b> Construction of sanitary
compartments		compartments
Part 3.8.4 Light	H4D6 Light	Part 10.5 Light
3.8.4.1 Application	H4D6 Light	1 41 6 2013 2.5116
3.8.4.2 Natural light	THE CLISIT	10.5.1 Natural light
3.8.4.3 Artificial lighting		10.5.2 Artificial lighting
Part 3.8.5 Ventilation	H4D7 Ventilation	Part 10.6 Ventilation
3.8.5.0 Application	H4D7 Ventilation	Tare 10.0 Ventuation
3.8.5.1 Application	11467 Ventuation	
3.8.3.1 Application		10.6.1 Application
<b>3.8.5.2</b> Ventilation requirements		<b>10.6.2</b> Ventilation requirements
•		10.6.3 Location of sanitary
<b>3.8.5.3</b> Location of sanitary		•
compartments	HADO Cound insulation	compartments
Part 3.8.6 Sound insulation	H4D8 Sound insulation	Part 10.7 Sound insulation
3.8.6.1 Application	H4D8 Sound insulation	40 - 40 1: 1::
<b>3.8.6.2</b> Sound insulation		<b>10.7.1</b> Sound insulation
requirements		requirements
<b>3.8.6.3</b> Determination of airborne		<b>10.7.2</b> Determination of airborne
sound insulation ratings		sound insulation ratings
<b>3.8.6.4</b> Construction of sound		<b>10.7.3</b> Construction of sound
insulated walls		insulated walls
<b>3.8.6.5</b> Services		10.7.4 Services
<b>Table 3.8.6.1a</b> Acceptable forms of		<b>10.7.5</b> Acceptable forms of
construction for masonry walls		construction for masonry walls
<b>Table 3.8.6.1b</b> Acceptable forms of		<b>10.7.6</b> Acceptable forms of
construction for concrete walls		construction for concrete walls
<b>Table 3.8.6.1c</b> Acceptable form of		<b>10.7.7</b> Acceptable forms of
construction for autoclaved aerated		construction for autoclaved
concrete walls		aerated concrete walls
<b>Table 3.8.6.1d</b> Acceptable forms of		<b>10.7.8</b> Acceptable forms of
construction for timber and steel		construction for timber and steel
framed walls		framed walls
Part 3.8.7 Condensation	H4D9 Condensation	Part 10.8 Condensation
management	management	management
3.8.7.1 Application	H4D9 Condensation	
	management	
<b>3.8.7.2</b> Pliable building membrane		10.8.1 External wall construction
<b>3.8.7.3</b> Flow rate and discharge of		10.8.2 Exhaust systems
exhaust systems		
<b>3.8.7.4</b> Ventilation of roof spaces		<b>10.8.3</b> Ventilation of roof spaces
Part 3.9 Safe Movement and	Access	
		Part 11.1 Scope and application
		of Section 11
		<b>11.1.1</b> Scope
		11.1.2 Application

	<b>H5D1</b> Deemed-to-Satisfy Provisions	
Part 3.9.1 Stairway and ramp	H5D2 Stairway and ramp	Part 11.2 Stairway and ramp
construction	construction	construction
<b>3.9.1.0</b> Explanation of terms		<b>11.2.1</b> Explanation of terms
<b>3.9.1.1</b> Application	<b>H5D2</b> Stairway and ramp construction	
3.9.1.2 Stairway construction		11.2.2 Stairway construction
<b>3.9.1.3</b> Ramps		<b>11.2.3</b> Ramps
3.9.1.4 Slip-resistance		11.2.4 Slip resistance
<b>3.9.1.5</b> Landings		<b>11.2.5</b> Landings
3.9.1.6 Thresholds		11.2.6 Thresholds
Part 3.9.2 Barriers and handrails	<b>H5D3</b> Barriers and handrails	Part 11.3 Barriers and handrails
Figure 3.9.2.0 Typical stairway and		11.3.2 Explanation of terms
barrier members		
3.9.2.1 Application	H5D3 Barriers and handrails	11.3.1 Application
<b>3.9.2.2</b> Barriers to prevent falls		11.3.3 Barriers to prevent falls
<b>3.9.2.3</b> Construction of barriers to		<b>11.3.4</b> Construction of barriers
prevent falls		to prevent falls
3.9.2.4 Handrails		11.3.5 Handrails
<b>3.9.2.5</b> Construction of wire barriers		<b>11.3.6</b> Construction of wire barriers
<b>3.9.2.6</b> Protection of openable		<b>11.3.7</b> Protection of openable
windows – bedrooms		windows – bedrooms
<b>3.9.2.7</b> Protection of openable		11.3.8 Protection of openable
windows – rooms other than		windows – rooms other than
bedrooms		bedrooms
Part 3.10 Ancillary Provision	s and Additional Constr	uction Requirements
	H7D1 Deemed-to-Satisfy	
	provisions	
Part 3.10.1 Swimming pools	H7D2 Swimming pools	
3.10.1.0	H7D2 Swimming pools	
Part 3.10.2 Earthquake areas	H1D9 Earthquake areas	
<b>3.10.2.0</b> Application	H1D9 Earthquake areas	
Part 3.10.3 Flood hazard areas	H1D10 Flood hazard areas	
<b>3.10.3.0</b> Application	H1D10 Flood hazard areas	
		Part 12.1 Scope and application
		of Section 12
		<b>12.1.1</b> Scope
		12.1.2 Application
Part 3.10.4 Construction in alpine	H7D3 Construction in alpine	Part 12.2 Construction in alpine
areas	areas	areas
3.10.4.1 Application	<b>H7D3</b> Construction in alpine areas	
		12.2.1 Application
3.10.4.2 External doors		12.2.2 External doors
3.10.4.3 External trafficable		12.2.3 External trafficable
structures		structures

<b>3.10.4.4</b> Clear spaces around buildings		<b>12.2.4</b> Clear spaces around buildings
Part 3.10.5 Construction in bushfire	H7D4 Construction in	
prone areas	bushfire prone areas	
<b>3.10.5.0</b> Application	<b>H7D4</b> Construction in bushfire prone areas	
Part 3.10.6 Attachment of decks and balconies to external walls of buildings	H1D11 Attachment of framed decks and balconies to external walls of buildings using a waling plate	Part 12.3 Attachment of framed decks and balconies to external walls of building using waling plate
<b>3.10.6.1</b> Application	H1D11 Attachment of framed decks and balconies to external walls of buildings using a waling plate	
		12.3.1 Application
<b>3.10.6.2</b> Fixing decks and balconies to external walls		<b>12.3.2</b> Fixing decks and balconies to external walls
<b>3.10.6.3</b> Flashings to the junction of the waling plate and the external wall		<b>12.3.3</b> Flashings to the junction of the waling plate and external wall
<b>3.10.6.4</b> Bracing		<b>12.3.4</b> Bracing
Part 3.10.7 Boilers, pressure vessels,	H7D5 Heating appliances,	Part 12.4 Heating appliances,
heating appliances, fireplaces, chimneys and flues	fireplaces, chimneys and flues	fireplaces, chimneys and flues
3.10.7.0 Application	H7D5 Heating appliances,	
3.10.7.1 Application	fireplaces, chimneys and flues	
		12.4.1 Application
<b>3.10.7.2</b> Open fireplace construction		<b>12.4.2</b> Open fireplace construction
<b>3.10.7.3</b> Chimney construction		12.4.3 Chimney construction
3.10.7.4 Installation of insert		12.4.4 Installation of inset
fireplaces and flues		fireplaces and flues
<b>3.10.7.5</b> Installation of free standing		12.4.5 Installation of free
heating appliances		standing heating appliances
<b>3.10.7.6</b> Installation of boilers and		
pressure vessels		
Part 3.12 Energy Efficiency		
Part 3.12 Energy efficiency	Part H6 Energy Efficiency	<b>13</b> Energy Efficiency
	<b>H6D1</b> Deemed-to-Satisfy Provisions	
Part 3.12 Energy efficiency	H6D2 Application of Part H6	
	<b>Specification 42</b> Using house energy rating software	
<b>3.12.0</b> Application of Part 3.12	H6D2 Application of Part H6	
	<b>S42C4</b> Additional Deemed-to- Satisfy Provisions when using house energy rating software	

3.12.0.1 Heating and cooling loads  \$42C2 Heating and cooling loads \$42C3 Net equivalent energy use  Part 13.1 Scope and application of Section 13  13.1.1 Scope 13.1.2 Application Part 3.1.2.1 Building fabric 3.12.1 Application 3.12.1.1 Building fabric thermal insulation 3.12.1.2 Roofs 3.12.1.3 Roof lights 3.12.1.4 External walls 3.12.1.5 Floors 3.12.1.6 Attached Class 10a buildings Part 3.1.2.2 External glazing Part 3.1.2.2 External glazing Part 3.1.2.3 External glazing 3.12.2.1 External glazing 3.12.2.1 External glazing 3.12.2.2 Shading Part 3.1.2.3 Building sealing 3.1.2.3 Application 3.1.3.3 External glazing 3.1.3.3 External glazing 3.1.3.4 Shading Part 3.1.4 Shading Part 3.1.5 Sexternal windows and doors 3		S42C1 Scope	
loads S42C3 Net equivalent energy use  Part 13.1 Scope and application of Section 13 13.1.1 Scope  13.1.2 Application Part 13.2 Building fabric 3.12.1 Application Part 13.2 Building fabric 3.12.1.1 Building fabric thermal insulation 13.2.1 Roofs 13.2.2 Building fabric thermal insulation 3.12.1.3 Roofs 3.12.1.3 Roof lights 3.12.1.5 Floors 3.12.1.5 Floors 3.12.1.5 Floors 3.12.1.6 External walls 3.12.1.6 Floors and subfloor walls 3.12.1.6 Floors and subfloor walls 3.12.1.5 Floors 3.12.2 External glazing Part 13.1.2 External glazing 3.12.2 External glazing 3.12.3 Application 3.13.3 External glazing 3.12.3 Fabrical glazing 3.12.4 Fabrical walls 3.12.4 Fabrical walls 3.12.4 Fabrical walls 3.12.4 Fab	<b>3.12.0.1</b> Heating and cooling loads		
use  Part 13.1 Scope and application of Section 13  13.1.1 Scope  13.1.2 Application  Part 3.2.2 Building fabric  3.12.1 Application of Part 13.2 Building fabric  3.12.1.1 Building fabric thermal insulation  3.12.1.2 Roofs  3.12.1.3 Roof lights  3.12.1.4 External walls  3.12.1.5 Floors  3.12.1.5 Floors  3.12.1.5 Floors  3.12.1.6 Attached Class 10a buildings  Part 13.12.2 External glazing  Part 13.12.2 External glazing  Part 13.3 Application of Part 13.3  3.12.2.1 External glazing  3.12.2 Application  3.12.3 Application of Part 13.3  3.12.3 Building sealing  Part 3.12.3 Building sealing  Part 3.12.3 Building sealing  3.12.3 Application  3.12.3 Application  3.12.3 Application  3.12.4 Roof lights  3.12.3 External glazing - summer  3.12.3 Building sealing  3.12.3 Application  3.12.4 External glazing  3.12.3 Application  3.12.3 External glazing  3.12.3 Building sealing  3.12.3 Application  3.12.4 Application of Part 13.4  3.12.3 External windows and doors  3.12.4 External windows and doors  3.12.5 External windows and doors  3.12.6 External windows and do	e e		
Part 13.1 Scope and application of Section 13  13.1.1 Scope  13.1.2 Application  Part 3.1.2.1 Building fabric  3.1.2.1 Application  3.1.2.1 Building fabric thermal insulation  3.1.2.1 Building fabric thermal insulation  3.1.2.1 Roofs  3.1.2.1 Roofs  3.1.2.1 Roof lights  3.1.2.1 Roof lights  3.1.2.1 External walls  3.1.2.1.5 Floors  3.1.2.6 Floors and subfloor walls  3.1.2.1.6 Attached Class 10a buildings  Part 13.1.2 External glazing  3.1.2.2 External glazing  3.1.2.3 External glazing  3.1.2.4 External glazing  3.1.2.5 External glazing  3.1.2.6 Floors and subfloor walls  3.1.2.1 External glazing  3.1.2.2 Spanding  Part 13.3 External glazing  3.1.2.3 External glazing  3.1.2.4 External glazing  3.1.2.5 External glazing  3.1.2.6 External glazing  3.1.2.8 External glazing summer  3.1.2.1 External glazing  3.1.2.3 Building sealing  3.1.2.3 Building sealing  3.1.3 A Spanding  Part 3.1.3 Building sealing  3.1.3 A Spanding		S42C3 Net equivalent energy	
13.1.1 Scope 13.1.2 Application Part 3.2.1 Building fabric 3.12.1 Application 3.12.1 Application 3.12.1.1 Building fabric 3.12.1.2 Application 3.12.1.3 Roof lights 3.12.1.3 Roof lights 3.12.1.3 Roof lights 3.12.1.4 External walls 3.12.1.5 Floors 3.12.1.6 Attached Class 10a buildings 4 buildings 3.12.2.1 External glazing 3.12.2.2 External glazing 3.12.3 External glazing 3.12.3 External glazing 3.12.3 External glazing 3.12.4 External glazing 3.12.5 External glazing 3.12.6 Application 3.12.7 Attached Class 10a buildings Part 13.12 External glazing 3.12.8 External glazing 3.12.9 External glazing 3.12.1 External glazing 3.12.2 Floors 3.12.2.1 External glazing 3.12.3 External glazing 3.12.4 Application of Part 13.4 3.12.3 Futhing sealing 3.12.3 Application 3.12.4 Shading Part 3.12.3 Building sealing 3.12.3 Application 3.12.3.1 Chimneys and flues 3.12.3.2 Roof lights 3.12.3.3 External windows and doors 3.12.3.4 External windows and doors 3.12.3.5 Construction of ceilings, walls and floors 3.12.3.6 Evaporative coolers Part 3.12.4 Air movement 3.12.4 Air movement 3.12.4 Part 13.5 Ceiling fans 3.12.4.1 Air movement 3.12.4.2 Ventilation openings 3.12.3.6 Whole-of-home energy usage 3.13.6.1 Application of Part 13.6		use	
13.1.1 Scope 13.1.2 Application Part 3.12.1 Building fabric 3.12.1 Application 3.12.1 Application 3.12.1.2 Building fabric 3.12.1.3 Building fabric thermal insulation 3.12.1.2 Roofs 3.12.1.2 Roofs 3.12.1.3 Roof lights 3.12.1.3 Roof lights 3.12.1.4 External walls 3.12.1.5 Floors 3.12.1.6 Attached Class 10a buildings Part 3.12.2 External glazing 3.12.2 Application 3.12.2.1 External glazing 3.12.2 Application 3.12.2.2 Shading Part 3.12.3 Building sealing 3.12.3 Building sealing 3.12.3 Building sealing 3.12.3 Application 3.12.3.3 Fixernal glazing 3.12.3 Specification 3.12.3.4 Shading Part 3.12.3 Building sealing 3.12.3 Application 3.12.3.5 Coinstruction of Part 13.4 3.12.3.7 Attached Class 10a buildings Part 3.12.3 Specification 3.12.3 Fixernal glazing 3.12.3 Application 3.13.4 Shading Part 3.12.3 Building sealing 3.12.3 Application 3.12.3 Application 3.12.3 Application 3.12.3 Application 3.12.3 Application 3.12.3 Application 3.12.3 Fixernal glazing 3.12.4 Fixernal glazing 3.12.3 Fixernal glazing 3.12.4			Part 13.1 Scope and application
Part 3.12.1 Building fabric  Part 13.2 Building fabric  3.12.1 Application  3.12.1 Application of Part 13.2 3.12.1 Building fabric thermal insulation  3.12.1.2 Roofs  3.12.1.3 Roof lights  3.12.1.4 External walls  3.12.1.5 Floors  3.12.1.6 Attached Class 10a buildings  Part 3.12.2 External glazing  Part 3.12.2 External glazing  Part 3.3.1 Application of Part 13.3 3.12.2.1 External glazing  3.12.2.3 Roofs and subfloor walls  3.12.2.4 Roof lights  3.12.3 External glazing  Part 3.12.2 External glazing  3.12.3 Suliding sealing  3.12.3 Building sealing  3.12.3 Application  3.12.3.1 Application of Part 13.4 3.12.3.2 Roof lights  3.12.3.3 External glazing  3.12.3.4 External windows and doors  3.12.3.5 Construction of ceilings, walls and floors  3.12.3.6 Exaporative coolers  Part 3.12.4 Air movement  3.12.4 Application of Part 13.5 3.12.4.3 Ceiling fans  Part 13.5 Ceiling fans  13.5.1 Application of Part 13.5 3.12.4.3 Ceilings fans and evaporative coolers  Part 13.5 United the movement  3.12.4.3 Ceilings fans and evaporative coolers  Part 13.5 Ceiling fans  Part 13.6 Whole-of-home energy usage  13.6.1 Application of Part 13.6			of Section 13
Part 3.12.1 Building fabric 3.12.1 Application 3.12.1.1 Building fabric thermal insulation 3.12.1.2 Building fabric thermal insulation 3.12.1.2 Roofs 3.12.1.3 Roof ights 3.12.1.3 Roof lights 3.12.1.5 Floors 3.12.1.6 Attached Class 10a buildings 3.12.1.6 Attached Class 10a buildings Part 3.12.2 External glazing Part 3.12.2 External glazing 3.12.2.1 External glazing 3.12.2.2 Application 3.12.2.3 Building sealing 3.12.3 Building sealing 3.12.4 Spart and subfloor walls 3.12.5 Fabrican and subfloor walls 3.12.6 Floors and subfloor walls 3.12.1 External glazing Part 3.13.2 External glazing 3.12.2 Papplication 3.12.3 External glazing 3.12.3 Building sealing 3.12.3 Building sealing 3.12.3 Building sealing 3.12.3 Building sealing 3.12.3 Application 3.12.3.1 Chimneys and flues 3.12.3.2 Roof lights 3.12.3.3 External windows and doors 3.12.3.4 External windows and doors 3.12.3.5 Construction of ceilings, walls and floors 3.12.3.5 Construction of ceilings, walls and floors 3.12.3.6 Evaporative coolers Part 3.12.4 Application 3.12.4 Application 3.12.5 Ceiling fans 3.12.4 Application of Part 13.5 3.12.4 Application 3.12.4 Application 3.12.5 Ceiling fans 3.12.4 Application of Part 13.5 3.12.4 Application of Part 13.6 3.12.4 Application of Part 13.6 3.12.4 Application of Part 13.6			<b>13.1.1</b> Scope
3.12.1 Application 13.2.1 Application of Part 13.2 3.12.1.1 Building fabric thermal insulation 13.2.2 Building fabric thermal insulation 13.2.2 Roofs 13.2.3 Roof lights 13.2.4 Roof lights 13.2.4 Roof lights 13.2.5 External walls 13.2.5 External walls 13.2.5 Floors 13.2.6 Floors and subfloor walls 13.2.6 Floors and subfloor walls 13.2.6 Floors and subfloor walls 13.2.7 Attached Class 10a buildings buildings Part 3.12.2 External glazing Part 13.3 External glazing 13.3.1 Application of Part 13.3 Section 13.3.2 External glazing 13.3.3 External glazing 13.3.3 External glazing 13.3.3 External glazing 13.3.4 Shading Part 3.12.3 Building sealing 13.3.4 Shading Part 3.12.3 Building sealing 13.3.4 Shading Part 3.12.3 Building sealing 13.4.1 Application of Part 13.4 Shading 13.4.2 Chimneys and flues 13.4.3 Roof lights 13.4.3 Roof lights 13.4.3 Roof lights 13.4.4 External windows and doors 13.4.4 External windows and doors 13.4.5 Exhaust fans 13.4.6 Exhaust fans 1			
3.12.1.1 Building fabric thermal insulation 3.12.1.2 Roofs 3.12.1.3 Roof lights 3.12.1.4 External walls 3.12.1.5 Floors 3.12.1.6 Attached Class 10a buildings Part 3.12.2 External glazing 3.12.2 Application 3.12.2.1 External glazing 3.12.2.1 External glazing 3.12.2.1 External glazing 3.12.2.2 Shading Part 3.12.2 Shading Part 3.12.3 Building sealing 3.12.3 Application 3.12.3 Application 3.12.3 Application 3.12.3 Application 3.12.3 Application 3.12.3 Application 3.12.3 Sternal windows and doors 3.12.3 External windows and doors 3.12.4 External windows and doors 3.12.4 External windows and doors 3.12.3 External windows and doors 3.12.3 External windows and doors 3.12.4 External win	Part 3.12.1 Building fabric		Part 13.2 Building fabric
insulation 3.12.1.2 Roofs 3.12.1.3 Roof lights 3.12.1.4 External walls 3.12.1.5 Floors 3.12.1.6 Attached Class 10a buildings Part 3.12.2 External glazing 3.12.2.1 External glazing 3.12.2.1 External glazing 3.12.2.2 Application 3.12.2.2 Shading Part 3.12.3 Building sealing 3.12.3 Application of Part 13.3 External glazing 3.12.3 Application 3.12.3 Shading Part 3.12.3 Building sealing 3.12.3 Application of Part 13.4 Suilding sealing 3.12.3 Application of Part 13.4 Suilding sealing 3.12.3 Application 3.12.3.1 Chimneys and flues 3.12.3.2 Roof lights 3.12.3.3 External windows and doors 3.12.3.4 External windows and doors 3.12.3.5 Construction of ceilings, walls and floors 3.12.3.6 Evaporative coolers Part 3.12.4 Application 3.12.3.6 Evaporative coolers Part 3.12.4 Application 3.12.3.6 Evaporative coolers Part 3.12.4 Part 13.5 Ceiling fans 3.12.4.1 Air movement 3.12.4.2 Ventilation openings 3.12.4.3 Ceilings fans and evaporative coolers Part 13.6 Whole-of-home energy usage  13.6.1 Application of Part 13.6			
3.12.1.2 Roofs 3.12.1.3 Roof lights 3.12.1.4 External walls 3.12.1.5 Floors 3.12.1.6 Attached Class 10a buildings Part 3.12.2 External glazing 3.12.2 Application 3.12.2.1 External glazing 3.12.2.2 External glazing 3.12.2.3 External glazing 3.12.2.4 Roof lights 3.12.3 External glazing 3.12.5 Floors and subfloor walls buildings Part 3.12.2 External glazing 3.12.2 Application 3.13.3 External glazing 3.12.2.1 External glazing 3.12.2.2 Shading Part 3.12.3 Building sealing 3.12.3.3 External glazing 3.12.3 Application 3.12.3 Application 3.12.3.1 Chimneys and flues 3.12.3.2 Roof lights 3.12.3.3 External windows and doors 3.12.3.3 External windows and doors 3.12.3.4 Exhaust fans 3.12.3.5 Construction of ceilings, walls and floors 3.12.3.6 Evaporative coolers Part 3.12.4 Air movement 3.12.4 Air movement 3.12.4.1 Air movement 3.12.4.2 Ventilation openings 3.12.4.3 Ceilings fans and evaporative coolers Part 13.6 Whole-of-home energy usage 13.6.1 Application of Part 13.6	_		
3.12.1.3 Roof lights 3.12.1.4 External walls 3.12.1.5 Floors 13.2.6 Floors and subfloor walls 3.12.1.6 Attached Class 10a buildings Part 3.12.2 External glazing Part 3.12.2 External glazing 3.12.2 Application 3.12.2.1 External glazing 3.12.2.1 External glazing 3.12.2.2 Shading Part 3.12.3 Building sealing 3.12.3 Building sealing 3.12.3 Application 3.12.3 Application 3.12.3 Application 3.12.3.1 Chimneys and flues 3.12.3.2 Roof lights 3.12.3.3 External windows and doors 3.12.3.3 External windows and doors 3.12.3.4 Exhaust fans 3.12.3.5 Construction of ceilings, walls and floors 3.12.3.6 Evaporative coolers Part 3.12.4 Air movement 3.12.4.1 Air movement 3.12.4.2 Ventilation openings 3.12.4.3 Ceilings fans and evaporative coolers Part 13.5 Ceiling fans Part 13.6 Whole-of-home energy usage 13.6.1 Application of Part 13.6			
3.12.1.4 External walls 3.12.1.5 Floors 3.12.1.6 Attached Class 10a buildings Part 3.12.2 External glazing 3.12.2.1 External glazing 3.12.2.1 External glazing 3.12.2.1 External glazing 3.12.2.2 Shading Part 3.12.3 Building sealing 3.12.3 Application 3.12.3.4 Shading Part 3.12.5 Building sealing 3.12.3 Application 3.12.3.1 Chimneys and flues 3.12.3.2 Roof lights 3.12.3.3 External windows and doors 3.12.3.4 Exhaust fans 3.12.3.5 Construction of ceilings, walls and floors 3.12.3.6 Evaporative coolers Part 3.12.4 Air movement 3.12.4 Application 3.12.4.3 Ceiling fans 3.12.4.3 Ceiling fans 3.12.4.3 Ceilings fans and evaporative coolers Part 13.6 Whole-of-home energy usage 13.6.1 Application of Part 13.6			_
3.12.1.5 Floors  13.2.6 Floors and subfloor walls 3.12.1.6 Attached Class 10a buildings Part 3.12.2 External glazing  3.12.2 Application  3.12.2 Application  3.12.2.1 External glazing  3.12.2.2 Shading Part 3.12.3 Building sealing 3.12.3 Application  3.12.3 Application  3.12.3 Application  3.12.3 Application  3.12.3 Application  3.12.3 Roof lights 3.12.3 Roof lights 3.12.3 External windows and doors 3.12.3.5 Construction of ceilings, walls and floors 3.12.3.6 Evaporative coolers Part 3.12.4 Air movement 3.12.4 Application  3.12.5 Ceiling fans  13.5.1 Application of Part 13.5  13.6 Whole-of-home energy usage  Part 13.6 Whole-of-home energy usage  13.6.1 Application of Part 13.6			3
3.12.1.6 Attached Class 10a buildings  Part 3.12.2 External glazing 3.12.2 Application 3.12.2 External glazing 3.12.2.1 External glazing 3.12.2.2 Shading 3.12.2.2 Shading Part 3.12.3 Building sealing 3.12.3 Application 3.12.3 Application 3.12.3 Application 3.12.3 Application 3.12.3 Application 3.12.3 Application 3.12.3.1 Chimneys and flues 3.12.3.2 Roof lights 3.12.3.3 External windows and doors 3.12.3.3 External windows and doors 3.12.3.4 Exhaust fans 3.12.3.5 Construction of ceilings, walls and floors 3.12.3.6 Evaporative coolers Part 3.12.4 Air movement 3.12.4 Application 3.12.4.1 Air movement 3.12.4.2 Ventilation openings 3.12.4.3 Ceilings fans and evaporative coolers Part 13.6 Whole-of-home energy usage 13.6.1 Application of Part 13.6			
buildings Part 3.12.2 External glazing 3.12.2 Application 3.12.2.1 External glazing 3.12.2.2 Shading Part 3.12.3 Building sealing 3.12.3 Application 3.12.3 Building sealing 3.12.3 Application 3.12.3 Application 3.12.3 Building sealing 3.12.3 Application 3.12.3 Roof lights 3.12.3.1 Chimneys and flues 3.12.3.2 Roof lights 3.12.3.3 External windows and doors 3.12.3.3 External windows and doors 3.12.3.4 Exhaust fans 3.12.3.5 Construction of ceilings, walls and floors 3.12.3.6 Evaporative coolers Part 3.12.4 Air movement 3.12.4 Application 3.12.4.1 Air movement 3.12.4.2 Ventilation openings 3.12.4.3 Ceiling fans 3.12.4.4 Owhole-of-home energy usage 3.13.6 Whole-of-home energy usage			
Part 3.12.2 External glazing 3.12.2 Application 3.12.2.1 External glazing 3.12.2.2 External glazing 3.12.2.2 External glazing 3.12.2.2 Shading 3.12.3 Building sealing 3.12.3 Application 3.12.3 Application 3.12.3 Application 3.12.3 Application 3.12.3.1 Chimneys and flues 3.12.3.2 Roof lights 3.12.3.2 Roof lights 3.12.3.3 External windows and doors 3.12.3.4 External windows and doors 3.12.3.5 Construction of ceilings, walls and floors 3.12.3.6 Evaporative coolers Part 3.12.4 Air movement 3.12.4 Application 3.12.4.1 Air movement 3.12.4.2 Ventilation openings 3.12.4.3 Ceiling fans 413.5 Ceiling fans			
3.12.2 Application 13.3.1 Application of Part 13.3 3.12.2.1 External glazing 13.3.2 External glazing — winter 13.3.3 External glazing — winter 13.3.3 External glazing — summer 13.3.4 Shading Part 3.12.3 Building sealing 13.4 Shading Part 13.4 Building sealing 3.12.3 Application of Part 13.4 Deplication of Part 13.4 Application of Part 13.4 Shading Shad			
3.12.2.1 External glazing  13.3.2 External glazing — winter  13.3.3 External glazing — summer  3.12.2.2 Shading  Part 3.12.3 Building sealing  3.12.3 Application  3.12.3.1 Chimneys and flues  3.12.3.2 Roof lights  3.12.3.3 External windows and doors  3.12.3.3 External windows and doors  3.12.3.4 Exhaust fans  3.12.3.5 Construction of ceilings, walls and floors  3.12.3.6 Evaporative coolers  Part 3.12.4 Air movement  3.12.4 Application  3.12.4.2 Ventilation openings  3.12.4.3 Ceilings fans and evaporative coolers  Part 13.6 Whole-of-home energy usage  13.6.1 Application of Part 13.6	5 5		
13.3.3 External glazing – summer 3.12.2.2 Shading Part 3.12.3 Building sealing 3.12.3 Application 13.4.1 Application of Part 13.4 3.12.3.1 Chimneys and flues 3.12.3.2 Roof lights 3.12.3.3 External windows and doors 13.4.4 External windows and doors 13.4.5 Exhaust fans 3.12.3.5 Construction of ceilings, walls and floors 3.12.3.6 Evaporative coolers Part 3.12.4 Air movement 3.12.4 Application 3.12.4.1 Air movement 3.12.4.2 Ventilation openings 3.12.4.3 Ceilings fans and evaporative coolers Part 13.6 Whole-of-home energy usage 13.6.1 Application of Part 13.6	• • •		
3.12.2.2 Shading Part 3.12.3 Building sealing 3.12.3 Application 3.12.3.1 Chimneys and flues 3.12.3.2 Roof lights 3.12.3.3 External windows and doors 3.12.3.4 Exhaust fans 3.12.3.5 Construction of ceilings, walls and floors 3.12.3.6 Evaporative coolers Part 3.12.4 Air movement 3.12.4 Application 3.12.4.1 Air movement 3.12.4.2 Ventilation openings 3.12.4.3 Ceilings fans and evaporative coolers Part 13.6 Whole-of-home energy usage 13.6.1 Application of Part 13.6	3.12.2.1 External glazing		0 0
Part 3.12.3 Building sealing 3.12.3 Application 3.12.3.1 Chimneys and flues 3.12.3.2 Roof lights 3.12.3.3 External windows and doors 3.12.3.4 Exhaust fans 3.12.3.5 Construction of ceilings, walls and floors 3.12.3.6 Evaporative coolers Part 3.12.4 Air movement 3.12.4 Application 3.12.4.1 Application of Part 13.5 3.12.4.2 Ventilation openings 3.12.4.3 Ceilings fans and evaporative coolers Part 13.6 Whole-of-home energy usage 13.6.1 Application of Part 13.6			
3.12.3 Application 13.4.1 Application of Part 13.4 3.12.3.1 Chimneys and flues 13.4.2 Chimneys and flues 13.4.2 Chimneys and flues 13.4.3 Roof lights 13.4.3 Roof lights 13.4.4 External windows and doors 13.4.4 External windows and doors 13.4.5 Exhaust fans 13.4.5 Exhaust fans 13.4.5 Exhaust fans 13.4.6 Construction of ceilings, walls and floors 13.4.7 Evaporative coolers 13.4.7 Evaporative coolers 13.4.7 Evaporative coolers 13.4.4 ir movement 13.5.1 Application of Part 13.5 Ceiling fans 13.5.4 Application openings 13.5.4.9 Ventilation openings 13.5.4 Ceilings fans and evaporative coolers 13.5.1 Application of Part 13.6 Whole-of-home energy usage 13.6.1 Application of Part 13.6			
3.12.3.1 Chimneys and flues 3.12.3.2 Roof lights 3.12.3.3 External windows and doors 3.12.3.4 Exhaust fans 3.12.3.5 Construction of ceilings, walls and floors 3.12.3.6 Evaporative coolers Part 3.12.4 Air movement 3.12.4 Application 3.12.4.1 Air movement 3.12.4.2 Ventilation openings 3.12.4.3 Ceilings fans and evaporative coolers Part 13.6 Whole-of-home energy usage 13.6.1 Application of Part 13.6			
3.12.3.2 Roof lights 3.12.3.3 External windows and doors 3.12.3.4 Exhaust fans 3.12.3.5 Construction of ceilings, walls and floors 3.12.3.6 Evaporative coolers Part 3.12.4 Air movement 3.12.4 Application 3.12.4.1 Air movement 3.12.4.2 Ventilation openings 3.12.4.3 Ceilings fans and evaporative coolers Part 13.6 Whole-of-home energy usage 13.6.1 Application of Part 13.6			
3.12.3.3 External windows and doors  3.12.3.4 Exhaust fans 3.12.3.5 Construction of ceilings, walls and floors 3.12.3.6 Evaporative coolers Part 3.12.4 Air movement 3.12.4 Application 3.12.4.1 Air movement 3.12.4.2 Ventilation openings 3.12.4.3 Ceilings fans and evaporative coolers  Part 13.6 Whole-of-home energy usage 13.6.1 Application of Part 13.6	•		•
doors  3.12.3.4 Exhaust fans  3.12.3.5 Construction of ceilings, walls and floors  3.12.3.6 Evaporative coolers  Part 3.12.4 Air movement  3.12.4 Application  3.12.4.1 Air movement  3.12.4.2 Ventilation openings  3.12.4.3 Ceilings fans and evaporative coolers  Part 13.6 Whole-of-home energy usage  13.6.1 Application of Part 13.6			
3.12.3.4 Exhaust fans 3.12.3.5 Construction of ceilings, walls and floors 3.12.3.6 Evaporative coolers Part 3.12.4 Air movement 3.12.4 Application 3.12.4.1 Air movement 3.12.4.2 Ventilation openings 3.12.4.3 Ceilings fans and evaporative coolers Part 13.6 Whole-of-home energy usage 13.6.1 Application of Part 13.6	3.12.3.3 External windows and doors		
3.12.3.5 Construction of ceilings, walls and floors 3.12.3.6 Evaporative coolers  Part 3.12.4 Air movement 3.12.4 Application 3.12.4.1 Air movement 3.12.4.2 Ventilation openings 3.12.4.3 Ceilings fans and evaporative coolers  Part 13.6 Whole-of-home energy usage 13.6.1 Application of Part 13.6	2 12 2 / Exhaust fans		
walls and floors  3.12.3.6 Evaporative coolers  Part 3.12.4 Air movement  3.12.4 Application  3.12.4.1 Air movement  3.12.4.2 Ventilation openings  3.12.4.3 Ceilings fans and evaporative coolers  Part 13.6 Whole-of-home energy usage  13.6.1 Application of Part 13.6			
3.12.3.6 Evaporative coolers  Part 3.12.4 Air movement  3.12.4 Application  3.12.4.1 Air movement  3.12.4.2 Ventilation openings  3.12.4.3 Ceilings fans and evaporative coolers  Part 13.6 Whole-of-home energy usage  13.6.1 Application of Part 13.6			
Part 3.12.4 Air movement  3.12.4 Application  3.12.4.1 Air movement  3.12.4.2 Ventilation openings  3.12.4.3 Ceilings fans and evaporative coolers  Part 13.5 Ceiling fans  13.5.1 Application of Part 13.5  13.5.2 Ceiling fans  Part 13.6 Whole-of-home energy usage  13.6.1 Application of Part 13.6			
3.12.4 Application 13.5.1 Application of Part 13.5 3.12.4.1 Air movement 3.12.4.2 Ventilation openings 13.5.2 Ceiling fans evaporative coolers Part 13.6 Whole-of-home energy usage 13.6.1 Application of Part 13.6			
3.12.4.1 Air movement 3.12.4.2 Ventilation openings 3.12.4.3 Ceilings fans and evaporative coolers  Part 13.6 Whole-of-home energy usage 13.6.1 Application of Part 13.6			
3.12.4.2 Ventilation openings 3.12.4.3 Ceilings fans and evaporative coolers  Part 13.6 Whole-of-home energy usage 13.6.1 Application of Part 13.6			13.3.1 Application of Fare 13.3
3.12.4.3 Ceilings fans and evaporative coolers  Part 13.6 Whole-of-home energy usage 13.6.1 Application of Part 13.6			
evaporative coolers  Part 13.6 Whole-of-home energy usage  13.6.1 Application of Part 13.6			13.5.2 Ceiling fans
Part 13.6 Whole-of-home energy usage 13.6.1 Application of Part 13.6			201012 Centing rans
usage  13.6.1 Application of Part 13.6	2.3.50.33.70.300.00		Part 13.6 Whole-of-home energy
13.6.1 Application of Part 13.6			
usage			, ,
Part 3.12.5 Services Part 13.7 Services	Part 3.12.5 Services		
<b>3.12.5</b> Application <b>13.7.1</b> Application of Part 13.7			
3.12.5.0 Application			
<b>3.12.5.1</b> Insulation of services <b>13.7.2</b> Insulation of services	<b>3.12.5.1</b> Insulation of services		13.7.2 Insulation of services

<b>3.12.5.2</b> Central heating water		<b>13.7.3</b> Central heating water
piping		piping
3.12.5.3 Heating and cooling		13.7.4 Heating and cooling
ductwork		ductwork
<b>3.12.5.4</b> Electric resistance space		<b>13.7.5</b> Electric resistance space
heating		heating
3.12.5.5 Artificial lighting		13.7.6 Artificial lighting
<b>3.12.5.6</b> Water heater in a heated		13.7.7 Water heater in a heated
water supply system		water supply system
<b>3.12.5.7</b> Swimming pool heating and		13.7.8 Swimming pool heating
pumping		and pumping
<b>3.12.5.8</b> Spa pool heating and		<b>13.7.9</b> Spa pool heating and
pumping		pumping
Schedule 2 Abbreviations an	nd Symbols	
Schedule 2 Abbreviations and	Schedule 1 Definitions	Schedule 1 Definitions
Symbols	Schedule 1 Symbols	Schedule 1 Symbols
Schedule 3 Definitions		
Schedule 3 Definitions	Schedule 1 Glossary	Schedule 1 Definitions
Schedule 4 Referenced docu	iments	
Schedule 4 Referenced documents	Schedule 2 Referenced	Schedule 2 Referenced
	documents	documents
Schedule 5 Fire-resistance o	f Building Elements	
Schedule 5 Fire-resistance of	<b>Specification 1</b> Fire-resistance	
1 11 11		
building elements	of building elements	
1 Scope	of building elements S1C1 Scope	
1 Scope 2 Rating	S1C1 Scope S1C2 Rating	
1 Scope	S1C1 Scope S1C2 Rating S1C3 FRLs determined by	
<ul><li>1 Scope</li><li>2 Rating</li><li>3 FRLs determined by calculation</li></ul>	S1C1 Scope S1C2 Rating S1C3 FRLs determined by calculation	
1 Scope 2 Rating	S1C1 Scope S1C2 Rating S1C3 FRLs determined by calculation S1C4 Interchangeable	
<ul><li>1 Scope</li><li>2 Rating</li><li>3 FRLs determined by calculation</li><li>4 Interchangeable materials</li></ul>	S1C1 Scope S1C2 Rating S1C3 FRLs determined by calculation S1C4 Interchangeable materials	
<ul> <li>1 Scope</li> <li>2 Rating</li> <li>3 FRLs determined by calculation</li> <li>4 Interchangeable materials</li> <li>5 Columns covered with lightweight</li> </ul>	S1C1 Scope S1C2 Rating S1C3 FRLs determined by calculation S1C4 Interchangeable materials S1C5 Columns covered with	
<ul> <li>1 Scope</li> <li>2 Rating</li> <li>3 FRLs determined by calculation</li> <li>4 Interchangeable materials</li> <li>5 Columns covered with lightweight construction</li> </ul>	S1C1 Scope S1C2 Rating S1C3 FRLs determined by calculation S1C4 Interchangeable materials S1C5 Columns covered with lightweight construction	
<ul> <li>1 Scope</li> <li>2 Rating</li> <li>3 FRLs determined by calculation</li> <li>4 Interchangeable materials</li> <li>5 Columns covered with lightweight</li> </ul>	S1C1 Scope S1C2 Rating S1C3 FRLs determined by calculation S1C4 Interchangeable materials S1C5 Columns covered with lightweight construction S1C6 Non-loadbearing	
<ul> <li>1 Scope</li> <li>2 Rating</li> <li>3 FRLs determined by calculation</li> <li>4 Interchangeable materials</li> <li>5 Columns covered with lightweight construction</li> <li>6 Non-loadbearing elements</li> </ul>	S1C1 Scope S1C2 Rating S1C3 FRLs determined by calculation S1C4 Interchangeable materials S1C5 Columns covered with lightweight construction S1C6 Non-loadbearing elements	
<ul> <li>1 Scope</li> <li>2 Rating</li> <li>3 FRLs determined by calculation</li> <li>4 Interchangeable materials</li> <li>5 Columns covered with lightweight construction</li> <li>6 Non-loadbearing elements</li> <li>Schedule 5 Fire-resistance of</li> </ul>	S1C1 Scope S1C2 Rating S1C3 FRLs determined by calculation S1C4 Interchangeable materials S1C5 Columns covered with lightweight construction S1C6 Non-loadbearing	
<ul> <li>1 Scope</li> <li>2 Rating</li> <li>3 FRLs determined by calculation</li> <li>4 Interchangeable materials</li> <li>5 Columns covered with lightweight construction</li> <li>6 Non-loadbearing elements</li> </ul>	S1C1 Scope S1C2 Rating S1C3 FRLs determined by calculation S1C4 Interchangeable materials S1C5 Columns covered with lightweight construction S1C6 Non-loadbearing elements Specification 2 Descriptions	
<ul> <li>1 Scope</li> <li>2 Rating</li> <li>3 FRLs determined by calculation</li> <li>4 Interchangeable materials</li> <li>5 Columns covered with lightweight construction</li> <li>6 Non-loadbearing elements</li> <li>Schedule 5 Fire-resistance of building elements Annexure to Table</li> </ul>	S1C1 Scope S1C2 Rating S1C3 FRLs determined by calculation S1C4 Interchangeable materials S1C5 Columns covered with lightweight construction S1C6 Non-loadbearing elements Specification 2 Descriptions of elements referred to in	
<ul> <li>1 Scope</li> <li>2 Rating</li> <li>3 FRLs determined by calculation</li> <li>4 Interchangeable materials</li> <li>5 Columns covered with lightweight construction</li> <li>6 Non-loadbearing elements</li> <li>Schedule 5 Fire-resistance of building elements Annexure to Table</li> </ul>	S1C1 Scope S1C2 Rating S1C3 FRLs determined by calculation S1C4 Interchangeable materials S1C5 Columns covered with lightweight construction S1C6 Non-loadbearing elements Specification 2 Descriptions of elements referred to in Specification 1	
<ul> <li>1 Scope</li> <li>2 Rating</li> <li>3 FRLs determined by calculation</li> <li>4 Interchangeable materials</li> <li>5 Columns covered with lightweight construction</li> <li>6 Non-loadbearing elements</li> <li>Schedule 5 Fire-resistance of building elements Annexure to Table</li> <li>1</li> </ul>	S1C1 Scope S1C2 Rating S1C3 FRLs determined by calculation S1C4 Interchangeable materials S1C5 Columns covered with lightweight construction S1C6 Non-loadbearing elements Specification 2 Descriptions of elements referred to in Specification 1 S2C1 Scope	
<ul> <li>1 Scope</li> <li>2 Rating</li> <li>3 FRLs determined by calculation</li> <li>4 Interchangeable materials</li> <li>5 Columns covered with lightweight construction</li> <li>6 Non-loadbearing elements</li> <li>Schedule 5 Fire-resistance of building elements Annexure to Table</li> <li>1</li> </ul>	S1C1 Scope S1C2 Rating S1C3 FRLs determined by calculation S1C4 Interchangeable materials S1C5 Columns covered with lightweight construction S1C6 Non-loadbearing elements Specification 2 Descriptions of elements referred to in Specification 1 S2C1 Scope S2C2 Mortar for masonry	
<ul> <li>1 Scope</li> <li>2 Rating</li> <li>3 FRLs determined by calculation</li> <li>4 Interchangeable materials</li> <li>5 Columns covered with lightweight construction</li> <li>6 Non-loadbearing elements</li> <li>Schedule 5 Fire-resistance of building elements Annexure to Table</li> <li>1</li> </ul>	S1C1 Scope S1C2 Rating S1C3 FRLs determined by calculation S1C4 Interchangeable materials S1C5 Columns covered with lightweight construction S1C6 Non-loadbearing elements Specification 2 Descriptions of elements referred to in Specification 1 S2C1 Scope S2C2 Mortar for masonry S2C3 Gypsum blocks	
<ul> <li>1 Scope</li> <li>2 Rating</li> <li>3 FRLs determined by calculation</li> <li>4 Interchangeable materials</li> <li>5 Columns covered with lightweight construction</li> <li>6 Non-loadbearing elements</li> <li>Schedule 5 Fire-resistance of building elements Annexure to Table</li> <li>1</li> </ul>	S1C1 Scope S1C2 Rating S1C3 FRLs determined by calculation S1C4 Interchangeable materials S1C5 Columns covered with lightweight construction S1C6 Non-loadbearing elements Specification 2 Descriptions of elements referred to in Specification 1 S2C1 Scope S2C2 Mortar for masonry S2C3 Gypsum blocks S2C4 Gypsum-sand mortar	

<b>S2C6</b> Plaster of cement and	
sand or cement, lime and	
sand	
<b>S2C7</b> Plaster reinforcement	
<b>S2C8</b> Ashlar stone masonry	
<b>S2C9</b> Dimensions of masonry	
S2C10 Solid units	
S2C11 Hollow units	
<b>S2C12</b> Equivalent thickness	
S2C13 Height-to-thickness	
ratio of certain walls	
<b>S2C14</b> Increase in thickness	
by plastering – walls	
<b>S2C15</b> Increase in thickness	
by plastering – columns	
<b>\$2C16</b> Gypsum-perlite or	
gypsum-vermiculite plaster or	
metal lath – walls	
<b>S2C17</b> Gypsum-perlite or	
gypsum-vermiculite plaster or	
metal lath – columns	
<b>S2C18</b> Gypsum-perlite or	
gypsum-vermiculite plaster or	
metal lath - beams	
<b>S2C19</b> Exposure of columns	
<b>S2C20</b> Exposure of beams	
<b>S2C21</b> Filing of column spaces	
S2C22 Hollow terracotta	
blocks	
<b>S2C23</b> Reinforcing for column	
and beam protection –	
masonry	
<b>S2C24</b> Reinforcing for column	
and beam protection –	
gypsum blocks and hollow	
terracotta blocks	
<b>S2C25</b> Reinforcing for column	
and beam protection –	
structural concrete and	
poured gypsum	
<b>S2C26</b> Reinforcing for column	
and beam protection –	
gypsum-perlite or gypsum-	
vermiculite plaster sprayed to	
contour	
<b>S2C27</b> Measurement of	
thickness of column and	
beam protection	

**Schedule 6 Fire Hazard Properties** 

Schedule 6 Fire hazard properties	Specification 3 Fire hazard	
	properties	
1 Scope	S3C1 Scope	
2 Assemblies	<b>S3C2</b> General requirement	
	S3C3 Form of test	
	S3C4 Test specimens	
	S3C5 Concession	
	S3C6 Smaller specimen	
	permitted	
Schedule 7 Fire Safety Verification Method		
Schedule 7 Fire Safety Verification	Moved to 'Fire Safety	
Method	Verification Method' Standard	
History of Amendments		
History of adoption	History of Adoption – NCC	
	Volume Two	